

# **Test Report**

Report No. : AGC05443240318-001

**SAMPLE NAME** : Insulation flask with 2 mugs

MODEL NAME : KC2694

**APPLICANT**: MID OCEAN BRANDS B.V

**STANDARD(S)** : Please refer to the following page(s).

**DATE OF ISSUE** : Apr. 17, 2024

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Applicant : MID OCEAN BRANDS B.V

Address : 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong. Test Site : 5,6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng

Street, Bao'an District, Shenzhen, Guangdong, China

## Report on the submitted sample(s) said to be:

Sample Name : Insulation flask with 2 mugs

Model : KC2694
Vendor code : 111021
Country of Origin : CHINA
Country of Destination : EUROPE
Sample receiving state : Normal

Sample Received Date : Mar. 15, 2024

Testing Period : Mar. 15, 2024 to Apr. 17, 2024

Test Requested : Selected test(s) as requested by client.

Approved by:

Report No.: AGC05443240318-001

Suhongliang, Leon

**Technical Director** 



Conclusion

rest requested.	Conclusio
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63 - Lead(Pb) Content	Pass
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23 -Cadmium(Cd) Content	Pass
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52 - Phthalates Content	Pass
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50 - Polycyclic-aromatic Hydrocarbons (PAHs) Content	Pass
Mechanical dishwashing safe test	Pass
German Food, Articles of Daily Use and Feed Code of September, 2005(LFGB), Section 30 & 31, and BfR recommendation IX, Regulation 1935/2004/EC, Regulation (EU) No 10/2011 and its amendment Regulation (EU) 2020/1245  - Overall migration - Bisphenol A(BPA) content - Specific migration of Bisphenol A(BPA) - Specific migration of Heavy metals - Specific migration of Primary aromatic amines	Pass Pass Pass Pass Pass
DM-4B-COM-003-v01 for: -Volatile Organic Matter - Peroxide value - Specific Migration of Organotin (measured as Tin)  Regulation (EC) No 1935/2004, LFGB section 30 and Technical Guide on Metals and alloys used	Pass Pass Pass
105 and 101 (100) 170 170 170 190 100 100 100 100 100 100 100 100 10	

in food contact materials of Council of Europe Resolution CM/Res (2013)9. - Specific migration of heavy metal from metal and alloys used in contact with food

**Pass** 



Report Revise Record

Report No.: AGC05443240318-001
--------------------------------

Report Version	Issued Date	Valid Version	Notes
/	Apr. 17, 2024	Valid	Initial release



The photo of the sample



The photo of AGC05443240318-001 is for use only with the original report.

## **Test Point Description**

Test point	Test point description
1-1+1-2	Black PP lid(bottle)+White PP lid(bottle)
1-3+1-4	Outer silver metal(bottle)+Inner silver metal (bottle)
1-5	Silicone sealing(bottle)
1-6	Black foam(mug)
1-7	Black PP lid(bottle)
1-8	White PP lid(bottle)
1-9	Inner silver metal (bottle)
1-10	Silicone sealing(bottle)



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001%

# Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

#### - Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Tost Itam(s)	Unit Limit		MDL	Test Result(s)	
Test Item(s)	Unit	Limit	MDL	1-1+1-2	1-3+1-4
Lead(Pb)	mg/kg	500	10	N.D.	N.D.
Co	Conformity	Conformity			

Tost Itom(s)	Unit Limit	MDI	Test Result(s)		
Test Item(s)		Limit	MDL	1-5	1-6
Lead(Pb)	mg/kg	500	10	N.D.	N.D.
Со	Conformity	Conformity			

#### Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2,1-3+1-4 Remark: The samples of the following test points were submitted on April 08, 2024:1-1+1-2,1-5

## Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

## -Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Tost Itam(s)	Unit	Limit	MDL	7	Test Result(s)	
Test Item(s)	Unit	Limit	MIDL	1-1+1-2	1-5	1-6
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.	N.D.
Conclusion			Conformity	Conformity	Conformity	

#### Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2 Remark: The samples of the following test points were submitted on April 08, 2024:1-1+1-2,1-5



# Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

## - Phthalates Content

Test Methods and Equipment: IEC 62321-8:2017; GC-MS

Test Item(s)	T Init	Unit Limit MDL		7	Test Result(s)	
Test Item(s)	Unit			1-1+1-2	1-5	1-6
Di-iso-butyl phthalate(DIBP) CAS:84-69-5	mg/kg	1000	50	N.D.	N.D.	N.D.
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.	N.D.	N.D.
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.	N.D.	N.D.
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.	N.D.	N.D.
Di-n-octyl phthalate (DNOP) * CAS:117-84-0	mg/kg	1000	50	N.D.	N.D.	N.D.
Di-iso-nonyl phthalate(DINP) * CAS:28553-12-0, 68515-48-0	mg/kg	1000	50	N.D.	N.D.	N.D.
Di-isodecyl phthalate(DIDP) * CAS:26761-40-0, 68515-49-1	mg/kg	1000	50	N.D.	N.D.	N.D.
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	N.D.	N.D.
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.	N.D.
Cor		Conformity	Conformity	Conformity		

#### Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2 Remark: The samples of the following test points were submitted on April 08, 2024:1-1+1-2,1-5

### Limit requirements of Phthalates

1	
Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	The sum of DINP+DIDP+DNOP is less than 0.1%

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Report No.: AGC05443240318-001



# Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

# - Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

Toot Itom(s)	Unit Limit	MDL	Test Result(s)			
Test Item(s)	Unit	LIIIII	MIDL	1-1+1-2	1-5	1-6
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Conclusion				Conformity	Conformity	Conformity

#### Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2 Remark: The samples of the following test points were submitted on April 08, 2024:1-1+1-2,1-5

Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

		<u>'</u>		0 0)
Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	≤ 1	≤ 1	≤ 0.5
Benzo[e]pyrene(BeP)	192-97-2	/	≤ 1	≤ 0.5
Benzo[a]anthracene(BaA)	56-55-3	/	≤ 1	≤ 0.5
Benzo[b]fluoranthene(BbF)	205-99-2	/	≤ 1	≤ 0.5
Benzo[j]fluoranthene(BjFA)	205-82-3	/	≤ 1	≤ 0.5
Benzo[k]fluoranthene(BkF)	207-08-9	/	≤ 1	≤ 0.5
Chrysene(CHR)	218-01-9	/	≤ 1	≤ 0.5
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	≤ 1	≤ 0.5
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤ 10	/	/

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Report No.: AGC05443240318-001



## Test Result of mechanical dishwashing safe test:

Requirements: For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS"

Sample No.:KC2694

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: 2 pc(s). Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.

#### - Overall migration

	Test result					
Test point		Overall migra	tion/ (mg/dm <sup>2</sup> )	Conclusion		
		3% Acetic acid, 70°C,2h	50% Ethanol, 70°C,2h			
	1 <sup>st</sup> migration	N.D.	N.D.			
1-7	2 <sup>nd</sup> migration	N.D.	N.D.	Conformity		
	3 <sup>rd</sup> migration	N.D.	N.D.			
	1 <sup>st</sup> migration	N.D.	N.D.			
1-8	2 <sup>nd</sup> migration	N.D.	N.D.	Conformity		
	3 <sup>rd</sup> migration	N.D.	N.D.			
1	Limit	10	10	/		
I	MDL	5	5	/		

	Test		
Test point	Overall migra	Conclusion	
	3% Acetic acid, 70°C,2h	50% Ethanol, 70°C,2h	
1-10	N.D.	N.D.	Conformity
Limit	10	10	/
MDL	5	5	/

Remark: The samples of the following test points were submitted on April 08, 2024:1-7,1-10



- Bisphenol A(BPA) content

Test Item	Bisphenol A (BPA)			
Limit(Client's Requirement) (mg/kg)	Absent			
MDL(mg/kg)	0.1			
Test Method/ Instrument	EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS			

Report No.: AGC05443240318-001

Tost point	Test Result (mg/kg)	Caralasias	
Test point	Bisphenol A (BPA)	Conclusion	
1-10	N.D.	Conformity	

Test Item	Bisphenol A (BPA)			
Limit(mg/kg)	Absent			
MDL (mg/kg)	0.1			
Test Method/Instrument	EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS			


Toot point	Test Result (mg/kg)	Conclusion	
Test point	Bisphenol A (BPA)	Conclusion	
1-7	N.D.	Conformity	
1-8	N.D.	Conformity	

Remark: The samples of the following test points were submitted on April 08, 2024:1-7,1-10

# - Specific migration of Bisphenol $A(BPA)\,$

	Test Result	
Test point	Specific migration of Bisphenol A(BPA)/ (mg/kg)	Conclusion
	3% Acetic acid,70°C,2h	
1-10	N.D.	Conformity
Limit (Client's Requirement)	0.05	/
MDL	0.02	/

Remark: The samples of the following test points were submitted on April 08, 2024: 1-10






## -Specific migration of Heavy metals

Test Item(s)	T4 1949 /	Mer	Test Result(s) (mg/kg) 1-7			Limit (mg/kg)
	Test condition/ Equipment	MDL (mg/kg)				
	Equipment	(mg/ng)	1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration	(g/.kg)
Barium (Ba)		0.1	N.D.	N.D.	N.D.	1
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	70°C, 2h/ ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/		Conformity		/
Ammonium (NH <sub>4</sub> <sup>+</sup> )		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	0.273	0.108	0.132	/
Magnesium (Mg)		0.01	0.010	N.D.	N.D.	/
Potassium (K)		0.01	N.D.	N.D.	N.D.	/
Sodium (Na)		0.01	0.011	N.D.	N.D.	/



	Test condition/	MDL	Test Result(s) (mg/kg)  1-8  1st 2nd 3rd migration migration migration			Limit (mg/kg)
Test Item(s)	Equipment	(mg/kg)				
Barium (Ba)		0.1	N.D.	N.D.	N.D.	1
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	70°C, 2h/ ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	0.013	0.014	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/		Conformity		/
Ammonium (NH <sub>4</sub> <sup>+</sup> )		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	0.668	0.922	0.600	/
Magnesium (Mg)		0.01	0.038	N.D.	N.D.	/
Potassium (K)		0.01	0.058	N.D.	N.D.	/
Sodium (Na)		0.01	0.122	0.018	N.D.	/


Remark: The samples of the following test points were submitted on April 08, 2024: 1-7






# -Specific migration of Primary aromatic amines

Test Item(s)	MDL (mg/kg)	Limit (mg/kg)
4-Aminobiphenyl	0.002	N.D.
Benzidine	0.002	N.D.
4-Chloro-o-Toluidine	0.002	N.D.
2-Naphthylamine	0.002	N.D.
4-amino-2',3-dimethylazobenzene	0.002	N.D.
5-Nitro-o-toluidine	0.002	N.D.
4-Chloroaniline	0.002	N.D.
4-Methoxy-m-phenylenediamine	0.002	N.D.
4,4'-Diaminodiphenylmethane	0.002	N.D.
3,3'-Dichlorobenzidine	0.002	N.D.
3,3'-Dimethoxybenzidine	0.002	N.D.
3,3'-Dimethybenzidine	0.002	N.D.
4,4'-Methylenedi-o-toluidine	0.002	N.D.
6-methoxy-m-toluidine	0.002	N.D.
4,4'-methylenebis[2-chloroaniline]	0.002	N.D.
4,4'-Oxydianiline	0.002	N.D.
4,4'-Thiodianiline	0.002	N.D.
2-Aminotoluene	0.002	N.D.
4-methyl-m-phenylenediamine	0.002	N.D.
2,4,5-Trimethylaniline	0.002	N.D.
2-Methoxyaniline	0.002	N.D.
4-Aminoazobenzene	0.002	N.D.
1,3 phenylenediamine	0.002	N.D.
Total of other primary aromatic amines	0.01	0.01





	Test Result (mg/kg)				
	1-7				
Test Item(s)	1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration		
	mgravon	3% Acetic acid 70°C, 2h	mgrunn		
4-Aminobiphenyl	N.D.	N.D.	N.D.		
Benzidine	N.D.	N.D.	N.D.		
4-Chloro-o-Toluidine	N.D.	N.D.	N.D.		
2-Naphthylamine	N.D.	N.D.	N.D.		
4-amino-2',3-dimethylazobenzene	N.D.	N.D.	N.D.		
5-Nitro-o-toluidine	N.D.	N.D.	N.D.		
4-Chloroaniline	N.D.	N.D.	N.D.		
4-Methoxy-m-phenylenediamine	N.D.	N.D.	N.D.		
4,4'-Diaminodiphenylmethane	N.D.	N.D.	N.D.		
3,3'-Dichlorobenzidine	N.D.	N.D.	N.D.		
3,3'-Dimethoxybenzidine	N.D.	N.D.	N.D.		
3,3'-Dimethybenzidine	N.D.	N.D.	N.D.		
4,4'-Methylenedi-o-toluidine	N.D.	N.D.	N.D.		
6-methoxy-m-toluidine	N.D.	N.D.	N.D.		
4,4'-methylenebis[2-chloroaniline]	N.D.	N.D.	N.D.		
4,4'-Oxydianiline	N.D.	N.D.	N.D.		
4,4'-Thiodianiline	N.D.	N.D.	N.D.		
2-Aminotoluene	N.D.	N.D.	N.D.		
4-methyl-m-phenylenediamine	N.D.	N.D.	N.D.		
2,4,5-Trimethylaniline	N.D.	N.D.	N.D.		
2-Methoxyaniline	N.D.	N.D.	N.D.		
4-Aminoazobenzene	N.D.	N.D.	N.D.		
1,3 phenylenediamine	N.D.	N.D.	N.D.		
Total of other primary aromatic amines	N.D.	N.D.	N.D.		
Conclusion		Conformity			





	Test Result (mg/kg)				
		1-8			
Test Item(s)	1 <sup>st</sup> migration	migration 3% Acetic acid	3 <sup>rd</sup> migration		
4 A minutain and	N.D.	70°C, 2h N.D.	N.D.		
4-Aminobiphenyl  Benzidine	N.D.	N.D.	N.D.		
4-Chloro-o-Toluidine	N.D.	N.D.	N.D.		
2-Naphthylamine	N.D.	N.D.	N.D.		
4-amino-2',3-dimethylazobenzene	N.D.	N.D.	N.D.		
5-Nitro-o-toluidine	N.D.	N.D.	N.D.		
4-Chloroaniline	N.D.	N.D.	N.D.		
4-Methoxy-m-phenylenediamine	N.D.	N.D.	N.D.		
4,4'-Diaminodiphenylmethane	N.D.	N.D.	N.D.		
3,3'-Dichlorobenzidine	N.D.	N.D.	N.D.		
3,3'-Dimethoxybenzidine	N.D.	N.D.	N.D.		
3,3'-Dimethybenzidine	N.D.	N.D.	N.D.		
4,4'-Methylenedi-o-toluidine	N.D.	N.D.	N.D.		
6-methoxy-m-toluidine	N.D.	N.D.	N.D.		
4,4'-methylenebis[2-chloroaniline]	N.D.	N.D.	N.D.		
4,4'-Oxydianiline	N.D.	N.D.	N.D.		
4,4'-Thiodianiline	N.D.	N.D.	N.D.		
2-Aminotoluene	N.D.	N.D.	N.D.		
4-methyl-m-phenylenediamine	N.D.	N.D.	N.D.		
2,4,5-Trimethylaniline	N.D.	N.D.	N.D.		
2-Methoxyaniline	N.D.	N.D.	N.D.		
4-Aminoazobenzene	N.D.	N.D.	N.D.		
1,3 phenylenediamine	N.D.	N.D.	N.D.		
Total of other primary aromatic amines	N.D.	N.D.	N.D.		
Conclusion		Conformity			

Remark: The samples of the following test points were submitted on April 08, 2024: 1-7



Unit: %

Test item(s)	Test Condition	MDL	Result(s) 1-10	Limit
Volatile Organic Matter	200°C, 4h	0.1	0.44	0.5
Conclusion	200 C, 4n	/	Conformity	/

Remark: The samples of the following test points were submitted on April 08, 2024: 1-10

#### - Peroxide value

Unit: %


Test Item	MDL	Result(s)	I ::4
		1-10	Limit
Peroxide value	0.2	N.D.	Absent
Conclusion	/	Conformity	/

Remark: The samples of the following test points were submitted on April 08, 2024: 1-10

## - Specific Migration of Organotin (measured as Tin)

	Test Result	
Test point	Specific Migration of Organotin (measured as Tin)/ (mg/kg)	Conclusion
	3% Acetic acid, 70°C,2h	
1-10	N.D.	Conformity
Limit	0.1	/
MDL	0.01	/

Remark: The samples of the following test points were submitted on April 08, 2024: 1-10





# - Specific migration of heavy metal from metal and alloys used in contact with food

Test Method: With reference to EDQM Technical Guide on Metals and alloys used in food contact materials 2013.


Unit: mg/kg

Test Item(s)	Test condition/ Equipment		Test Result(s)	Limit
		MDL	1 <sup>st</sup> + 2 <sup>nd</sup> extractives	
			1-9	
Barium (Ba)		0.1	N.D.	8.4
Copper (Cu)		0.1	N.D.	28
Iron (Fe)		0.1	N.D.	280
Tin (Sn)		0.1	N.D.	700
Chromium (Cr)		0.01	N.D.	1.75
Manganese (Mn)		0.1	N.D.	12.6
Zinc (Zn)		0.1	N.D.	35
Aluminium (Al)		0.1	N.D.	35
Lithium (Li)		0.01	N.D.	0.336
Beryllium (Be)		0.005	N.D.	0.07
Vanadium (V)		0.005	N.D.	0.07
Nickel (Ni)	0.5% citric acid,	0.01	N.D.	0.98
Cobalt (Co)	70°C, 2h ICP-OES	0.01	N.D.	0.14
Arsenic (As)		0.002	N.D.	0.014
Molybdenum (Mo)		0.01	N.D.	0.84
Silver (Ag)		0.01	N.D.	0.56
Cadmium (Cd)		0.002	N.D.	0.035
Antimony (Sb)		0.01	N.D.	0.28
Mercury (Hg)		0.002	N.D.	0.021
Thallium (Tl)		0.0001	N.D.	0.0007
Lead (Pb)		0.01	N.D.	0.07
Conclusion		/	Conformity	/
Magnesium (Mg)		0.01	1.132	/
Titanium (Ti)		0.01	N.D.	/




Unit: mg/kg

Test Item(s)	Test condition/ Equipment	MDL	Test Result(s)	Limit
			3 <sup>rd</sup> extractives 1-9	
Copper (Cu)		0.1	N.D.	4
Iron (Fe)		0.1	N.D.	40
Tin (Sn)		0.1	N.D.	100
Chromium (Cr)		0.01	N.D.	0.25
Manganese (Mn)		0.1	N.D.	1.8
Zinc (Zn)		0.1	N.D.	5
Aluminium (Al)		0.1	N.D.	5
Lithium (Li)		0.01	N.D.	0.048
Beryllium (Be)		0.005	N.D.	0.01
Vanadium (V)		0.005	N.D.	0.01
Nickel (Ni)	0.5% citric acid,	0.01	N.D.	0.14
Cobalt (Co)	70°C, 2h ICP-OES	0.01	N.D.	0.02
Arsenic (As)		0.002	N.D.	0.002
Molybdenum (Mo)		0.01	N.D.	0.12
Silver (Ag)		0.01	N.D.	0.08
Cadmium (Cd)		0.002	N.D.	0.005
Antimony (Sb)		0.01	N.D.	0.04
Mercury (Hg)		0.002	N.D.	0.003
Thallium (Tl)		0.0001	N.D.	0.0001
Lead (Pb)		0.01	N.D.	0.01
Conclusion		/	Conformity	/
Magnesium (Mg)		0.01	0.149	/
Titanium (Ti)		0.01	N.D.	/







# **Test Flow Chart of Heavy Metal Content**




## **Test Flow Chart of Phthalates**







# Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)





# Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

\*\*\* End of Report \*\*\*