

# **Test Report**

Report No. : AGC05443240533-001

- SAMPLE NAME : Double wall stackable cup in recycled S/S
- MODEL NAME : MO2323
- APPLICANT : MID OCEAN BRANDS B.V
- **STANDARD(S)** : Please refer to the following page(s).
- DATE OF ISSUE : May 31, 2024

Attestation of Global Complance (Shenzhen) Std & Tech Co., Ltd.







- Lead(Pb) Content

### Report No.: AGC05443240533-001

Pass

Pass

Pass

Pass

MID OCEAN BRANDS B.V

: 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.

: 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China

### **Report on the submitted sample(s) said to be:**

:

Sample Name	:	Double wall stackable cup in recycled S/S	
Model	:	MO2323	
Vendor code	:	114276	
Country of Origin	:	CHINA	
Country of Destination	:	EUROPE	
Sample receiving state	:	Normal	
Sample Received Date	:	May 24, 2024	
Testing Period	:	May 24, 2024 to May 31, 2024	
Test Requested	:	Selected test(s) as requested by client.	
Test Requested:			Conclusion
Mechanical dishwashing	safe t	est	Pass
internation distributioning	Sare t		1 455
Annex XVII of the REAC	CH Re	egulation (EC) No 1907/2006, entry 63	Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23 -Cadmium(Cd) Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

- Phthalates Content

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50 - Polycyclic-aromatic Hydrocarbons (PAHs) Content

Regulation (EC) No 1935/2004, LFGB section 30 and Technical Guide on Metals and alloys used	
in food contact materials of Council of Europe Resolution CM/Res (2013)9.	Pass
- Specific migration of heavy metal from metal and alloys used in contact with food	

Approved by:

Suhongliang, Leon

**Technical Director** 



### Report No.: AGC05443240533-001

		Report Revise Record	1
Report Version	Issued Date	Valid Version	Notes
/	May 31, 2024	Valid	Initial release



### Report No.: AGC05443240533-001

# The photo of the sample



The photo of AGC05443240533-001 is for use only with the original report.

### **Test Point Description**

Test point	Test point description
1-1	Blue coating
1-2	Inner S/S mug



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001%

# Mechanical dishwashing safe test Image: matrix and state in the state is a state is a

### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

### - Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Unit	Unit Limit		Test Result(s)	
Test ttem(s)	Unit	Liiiit	MDL	1-1	1-2
Lead(Pb)	mg/kg	500	10	N.D.	N.D.
Co	Conclusion				Conformity

### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

### -Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Unit	Limit	MDL	Test Result(s)
Test Item(s)	Umi	LIIIII	WIDL	1-1
Cadmium(Cd)	mg/kg	100	10	N.D.
Со	nclusion			Conformity



### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

### - Phthalates Content

Test Methods and Equipment: IEC 62321-8:2017; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s) 1-1
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.
Со	nclusion			Conformity

### Limit requirements of Phthalates

Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	The sum of DINP+DIDP+DNOP is less than 0.1%



### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

### - Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s) 1-1
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.
Со	nclusion			Conformity

# Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	≤1	$\leq 1$	$\leq 0.5$
Benzo[e]pyrene(BeP)	192-97-2	/	<i>≤</i> 1	$\leq 0.5$
Benzo[a]anthracene(BaA)	56-55-3	/	$\leq 1$	$\leq 0.5$
Benzo[b]fluoranthene(BbF)	205-99-2	/	<i>≤</i> 1	$\leq 0.5$
Benzo[j]fluoranthene(BjFA)	205-82-3	/	$\leq 1$	$\leq 0.5$
Benzo[k]fluoranthene(BkF)	207-08-9	/	$\leq 1$	$\leq 0.5$
Chrysene(CHR)	218-01-9	/	$\leq 1$	≤ 0.5
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	$\leq 1$	$\leq 0.5$
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤ 10	/	/



Regulation (EC) No 1935/2004, LFGB section 30 and Technical Guide on Metals and alloys used

in food contact materials of Council of Europe Resolution CM/Res (2013)9

- Specific migration of heavy metal from metal and alloys used in contact with food

Test Method: With reference to EDQM Technical Guide on Metals and alloys used in food contact materials 2013.


		T		Unit: mg/
Test Item(s)	Test condition/	MDL	Test Result(s)         1 <sup>st</sup> + 2 <sup>nd</sup> extractives	Limit
	Equipment		1 + 2 extractives 1-2	2
Barium (Ba)		0.1	N.D.	8.4
Copper (Cu)		0.1	N.D.	28
Iron (Fe)		0.1	2.705	280
Tin (Sn)		0.1	N.D.	700
Chromium (Cr)		0.01	0.071	1.75
Manganese (Mn)		0.1	N.D.	12.6
Zinc (Zn)		0.1	N.D.	35
Aluminium (Al)		0.1	N.D.	35
Lithium (Li)		0.01	N.D.	0.336
Beryllium (Be)		0.005	N.D.	0.07
Vanadium (V)		0.005	N.D.	0.07
Nickel (Ni)	0.5% Citric acid,	0.01	0.092	0.98
Cobalt (Co)	70°C, 2h ICP-OES	0.01	N.D.	0.14
Arsenic (As)		0.002	N.D.	0.014
Molybdenum (Mo)		0.01	N.D.	0.84
Silver (Ag)		0.01	N.D.	0.56
Cadmium (Cd)		0.002	N.D.	0.035
Antimony (Sb)		0.01	N.D.	0.28
Mercury (Hg)		0.002	N.D.	0.021
Thallium (Tl)		0.0001	N.D.	0.0007
Lead (Pb)		0.01	N.D.	0.07
Conclusion		/	Conformity	/
Magnesium (Mg)		0.01	0.036	/
Titanium (Ti)		0.01	N.D.	/



Report No.: AGC05443240533-001


			Test Result(s)	Limit
Test Item(s)	Test condition/ Equipment	MDL	3 <sup>rd</sup> extractives	
	Equipment		1-2	
Barium (Ba)		0.1	N.D.	1.2
Copper (Cu)		0.1	N.D.	4
Iron (Fe)		0.1	0.269	40
Tin (Sn)		0.1	N.D.	100
Chromium (Cr)		0.01	0.013	0.25
Manganese (Mn)		0.1	N.D.	1.8
Zinc (Zn)		0.1	N.D.	5
Aluminium (Al)		0.1	N.D.	5
Lithium (Li)		0.01	N.D.	0.048
Beryllium (Be)		0.005	N.D.	0.01
Vanadium (V)		0.005	N.D.	0.01
Nickel (Ni)	0.5% Citric acid,	0.01	0.012	0.14
Cobalt (Co)	— 70°C, 2h ICP-OES	0.01	N.D.	0.02
Arsenic (As)		0.002	N.D.	0.002
Molybdenum (Mo)		0.01	N.D.	0.12
Silver (Ag)		0.01	N.D.	0.08
Cadmium (Cd)		0.002	N.D.	0.005
Antimony (Sb)		0.01	N.D.	0.04
Mercury (Hg)		0.002	N.D.	0.003
Thallium (Tl)		0.0001	N.D.	0.0001
Lead (Pb)		0.01	N.D.	0.01
Conclusion		/	Conformity	/
Magnesium (Mg)		0.01	N.D.	/
Titanium (Ti)		0.01	N.D.	/






### **Test Flow Chart of Heavy Metal Content**

### **Test Flow Chart of Phthalates**







### Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)



## Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").

2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.

3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.

4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.

5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.

6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.

8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

\*\*\* End of Report \*\*\*