

Test Report

Report No. : AGC05443231026-001

MO6212 Stainless steel lunch box,

MO6638 Stainless steel lunch box with separator,

SAMPLE NAME : MO6671 Stainless steel lunch box,

MO9938 Stainless steel lunchbox,

MO2224 Stainless steel lunch box with removable handle 750ml

MODEL NAME : MO6212, MO6638, MO6671, MO9938, MO2224

APPLICANT: MID OCEAN BRANDS B.V

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE : Dec. 20, 2023

Attestation of Global Compliant Grant Std & Tech Co., Ltd.





Applicant : MID OCEAN BRANDS B.V

Address : 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong. Test Site : 5,6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng

Street, Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : MO6212 Stainless steel lunch box,

MO6638 Stainless steel lunch box with separator,

MO6671 Stainless steel lunch box, MO9938 Stainless steel lunchbox,

MO2224 Stainless steel lunch box with removable handle 750ml

Model : MO6212, MO6638, MO6671, MO9938, MO2224

Vendor code : 104438
Country of Origin : CHINA
Country of Destination : EUROPE
Sample receiving state : Normal
Sample Received Date : Oct. 19, 2023

Testing Period : Oct. 19, 2023 to Nov. 23, 2023

Test Requested : Selected test(s) as requested by client.

Test Requested: Conclusion

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

- Lead(Pb) Content

Pass

Report No.: AGC05443231026-001

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

-Cadmium(Cd) Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

- Phthalates Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Pass

Mechanical dishwashing safe test

Pass

Regulation (EC) No 1935/2004, LFGB section 30 and Technical Guide on Metals and alloys used in food contact materials of Council of Europe Resolution CM/Res (2013)9.

Pass

- Specific migration of heavy metal from metal and alloys used in contact with food

Approved by : Jossie Liang

Liangdan, Jessie.Liang

Technical Director



Report Revise Record

Report No.: AGC05443231026-001

Report Version	Issued Date	Valid Version	Notes
/	Dec. 20, 2023	Valid	Initial release



The photo of the sample



The photo of AGC05443231026-001 is for use only with the original report.

Test Point Description

Test point	Test point description
1-1	Metal buckle (MO6212)
1-2	Metal hook (MO6212)
1-3	Stainless steel lunch box (MO6212)
1-4	Grey silicone sealing (MO6212) +Translucent silicone sealing (MO2224)
1-5	Black coating(MO6638)



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001%

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

- Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Tost Itam(s)	Unit	Limit MDL		J	Test Result(s)	
Test Item(s)	Onit	LIIIII	MDL	1-1	1-2	1-3
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.
Conclusion			Conformity	Conformity	Conformity	

Test Item(s)	Unit	Limit	MDL	Test Resi	ult(s)
rest tieth(s)	Omi	Liiiit	MDL	1-4	1-5
Lead(Pb)	mg/kg	500	10	N.D.	N.D.
Conclusion				Conformity	Conformity

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-4

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

-Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Took Itame(a)	Test Item(s) Unit	Limit	MDI	Test Result(s)	
Test Item(s)	Unit	Limit	MDL	1-4	1-5
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.
C	Conformity	Conformity			

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-4

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

- Phthalates Content

Test Methods and Equipment: IEC 62321-8:2017; GC-MS

Tast Itam(s)	Unit	Limit	MDL	Test Resu	ılt(s)
Test Item(s)	Omi	Lillit	MIDL	1-4	1-5
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.	N.D.
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.	N.D.



Tast Itam(s)	Unit	Limit	MDL	Test Resi	ult(s)
Test Item(s)	Unit Limit		MDL	1-4	1-5
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.	N.D.
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.	N.D.
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.	N.D.
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.	N.D.
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.	N.D.
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	N.D.
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.
Con	Conclusion				Conformity

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-4

Limit requirements of Phthalates

1	
Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	The sum of DINP+DIDP+DNOP is less than 0.1%

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Res	ult(s)
rest item(s)	Cilit	Lillit	MIDL	1-4	1-5
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.	N.D.
Co	onclusion	•		Conformity	Conformity

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-4



Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

1				<i>S S</i> /
Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	≤ 1	≤ 1	≤ 0.5
Benzo[e]pyrene(BeP)	192-97-2	/	≤ 1	≤ 0.5
Benzo[a]anthracene(BaA)	56-55-3	/	≤ 1	≤ 0.5
Benzo[b]fluoranthene(BbF)	205-99-2	/	≤ 1	≤ 0.5
Benzo[j]fluoranthene(BjFA)	205-82-3	/	≤ 1	≤ 0.5
Benzo[k]fluoranthene(BkF)	207-08-9	/	≤ 1	≤ 0.5
Chrysene(CHR)	218-01-9	/	≤ 1	≤ 0.5
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	≤ 1	≤ 0.5
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤ 10	/	/

Mechanical dishwashing safe test

Test Result of mechanical dishwashing safe test:

Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS"

Sample No.:MO6638

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: 3 pc(s). Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.



Regulation (EC) No 1935/2004, LFGB section 30 and Technical Guide on Metals and alloys used

in food contact materials of Council of Europe Resolution CM/Res (2013)9

- Specific migration of heavy metal from metal and alloys used in contact with food

Test Method: With reference to EDQM Technical Guide on Metals and alloys used in food contact materials 2013.


Unit: mg/kg

			Test Result(s)	Unit: mg	
Test Item(s)	Test condition/ Equipment	MDL	1 st + 2 nd extractives	Limit	
	Equipment		1-3]	
Barium (Ba)		0.1	N.D.	8.4	
Copper (Cu)		0.1	N.D.	28	
Iron (Fe)		0.1	1.504	280	
Tin (Sn)		0.1	N.D.	700	
Chromium (Cr)		0.01	0.058	1.75	
Manganese (Mn)		0.1	N.D.	12.6	
Zinc (Zn)		0.1	N.D.	35	
Aluminium (Al)		0.1	N.D.	35	
Lithium (Li)		0.01	N.D.	0.336	
Beryllium (Be)		0.005	N.D.	0.07	
Vanadium (V)	0.5% citric acid,	0.005	N.D.	0.07	
Nickel (Ni)	70°C, 2h ICP-OES	0.01	0.026	0.98	
Cobalt (Co)		0.01	N.D.	0.14	
Arsenic (As)		0.002	N.D.	0.014	
Molybdenum (Mo)		0.01	N.D.	0.84	
Silver (Ag)		0.01	N.D.	0.56	
Cadmium (Cd)		0.002	N.D.	0.035	
Antimony (Sb)		0.01	N.D.	0.28	
Mercury (Hg)		0.002	N.D.	0.021	
Thallium (Tl)		0.0001	N.D.	0.0007	
Lead (Pb)		0.01	N.D.	0.07	
Conclusion		/	Conformity	/	




Unit: mg/kg

			Test Result(s)	Omt. mg/kg
Test Item(s)	Test condition/ Equipment	MDL	3 rd extractives	Limit
	Equipment		1-3	
Barium (Ba)		0.1	N.D.	1.2
Copper (Cu)		0.1	N.D.	4
Iron (Fe)		0.1	N.D.	40
Tin (Sn)		0.1	N.D.	100
Chromium (Cr)		0.01	N.D.	0.25
Manganese (Mn)		0.1	N.D.	1.8
Zinc (Zn)		0.1	N.D.	5
Aluminium (Al)		0.1	N.D.	5
Lithium (Li)		0.01	N.D.	0.048
Beryllium (Be)		0.005	N.D.	0.01
Vanadium (V)	0.5% citric acid, 70°C, 2h	0.005	N.D.	0.01
Nickel (Ni)	ICP-OES	0.01	N.D.	0.14
Cobalt (Co)		0.01	N.D.	0.02
Arsenic (As)		0.002	N.D.	0.002
Molybdenum (Mo)		0.01	N.D.	0.12
Silver (Ag)		0.01	N.D.	0.08
Cadmium (Cd)		0.002	N.D.	0.005
Antimony (Sb)		0.01	N.D.	0.04
Mercury (Hg)		0.002	N.D.	0.003
Thallium (Tl)		0.0001	N.D.	0.0001
Lead (Pb)		0.01	N.D.	0.01
Conclusion		/	Conformity	/







Test Flow Chart of Heavy Metal Content




Test Flow Chart of Phthalates







Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)





Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***



Test Report

Report No. : AGC05443240516-001

Silicone ring for MO6212 Stainless steel lunch box

SAMPLE NAME : MO6638 Stainless steel lunch box with separator

MO6671 Stainless steel lunch box MO9938 Stainless steel lunchbox

MODEL NAME : MO6212, MO6638, MO6671, MO9938

APPLICANT: MID OCEAN BRANDS B.V

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE : Jun. 26, 2024

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Applicant : MID OCEAN BRANDS B.V.

Address : 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.

Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : Silicone ring for MO6212 Stainless steel lunch box

MO6638 Stainless steel lunch box with separator

MO6671 Stainless steel lunch box MO9938 Stainless steel lunchbox

Model : MO6212, MO6638, MO6671, MO9938

Vendor code : 104438
Country of Origin : CHINA
Country of Destination : EUROPE
Sample Received Date : Jun. 12, 2024

Testing Period : Jun. 12, 2024 to Jun. 26, 2024

Test Requested : Selected test(s) as requested by client.

Approved by:

Suhongliang, Leon

Report No.: AGC05443240516-001

Technical Director



Conclusion

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

- Lead(Pb) Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

-Cadmium(Cd) Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

- Phthalates Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Pass

Regulation 1935/2004/EC, Council of Europe Resolution AP (2004)5, Regulation(EU) No 10/2011 and Regulation (EU) 2018/213

- Overall migration

Pass

- Specific migration of Bisphenol A(BPA)

Pass

- Bisphenol A(BPA) content

Pass

DM-4B-COM-003-v01

-Volatile Organic Matter

Pass

- Peroxide value

Pass

- Specific Migration of Organotin (measured as Tin)

Pass



Report Revise Record

Report Version	Issued Date	Valid Version	Notes
/	Jun. 26, 2024	Valid	Initial release



The photo of the sample



The photo of AGC05443240516-001 is for use only with the original report.

Test Point Description

Test point	Test point description
1-1	Grey silicone ring



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001%

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

- Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Unit Limit	MDI	Test Result(s)	
Test Item(s)		LIIIII	MDL	1-1
Lead(Pb)	mg/kg	500	10	N.D.
Со	nclusion			Conformity

Remark: The samples of the following test points were resubmitted on June 12, 2024:1-1

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

-Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Toot Itom(s)	Unit	Limit	MDL	Test Result(s)
Test Item(s)				1-1
Cadmium(Cd)	mg/kg	100	10	N.D.
Со	Conformity			

Remark: The samples of the following test points were resubmitted on June 12, 2024:1-1



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

- Phthalates Content

Test Methods and Equipment: IEC 62321-8:2017; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s)
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.
Co	Conformity			

Remark: The samples of the following test points were resubmitted on June 12, 2024:1-1

Limit requirements of Phthalates

Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	The sum of DINP+DIDP+DNOP is less than 0.1%

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Report No.: AGC05443240516-001



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s) 1-1
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.
Co	onclusion			Conformity


Remark: The samples of the following test points were resubmitted on June 12, 2024:1-1

Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	≤ 1	≤ 1	≤ 0.5
Benzo[e]pyrene(BeP)	192-97-2	/	≤ 1	≤ 0.5
Benzo[a]anthracene(BaA)	56-55-3	/	≤ 1	≤ 0.5
Benzo[b]fluoranthene(BbF)	205-99-2	/	≤ 1	≤ 0.5
Benzo[j]fluoranthene(BjFA)	205-82-3	/	≤ 1	≤ 0.5
Benzo[k]fluoranthene(BkF)	207-08-9	/	≤ 1	≤ 0.5
Chrysene(CHR)	218-01-9	/	≤ 1	≤ 0.5
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	≤ 1	≤ 0.5
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤ 10	/	/

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Report No.: AGC05443240516-001





	Test		
Test point	Test point Overall migration/ (mg/dm²)		Conclusion
-	3% Acetic acid, 40°C,2h	50% Ethanol, 40°C,2h	
1-1	N.D.	N.D.	Conformity
Limit	10	10	/
MDL	5	5	/

	Test result	
Test point	Overall migration/ (mg/dm²)	Conclusion
	Rectified Olive oil, 40°C,2h	
1-1	7.3	Conformity
Limit	10	/

Remark: The samples of the following test points were resubmitted on June 12, 2024:1-1

-Specific migration of Bisphenol A(BPA)

	Test Result		
Test point	Specific migration of Bisphenol A(BPA)/ (mg/kg)	Conclusion	
	3% Acetic acid,40°C,2h		
1-1	N.D.	Conformity	
Client's limit	0.05	/	
MDL	0.02	/	

Remark: The samples of the following test points were resubmitted on June 12, 2024:1-1



-Bisphenol A(BPA) content

Test Item	Bisphenol A (BPA)		
Client's limit (mg/kg)	Absent		
MDL(mg/kg)	0.1		
Test Method/Instrument	EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS		

Test point	Test Result (mg/kg)	Conclusion
rest point	Bisphenol A (BPA)	Conclusion
1-1	N.D.	Conformity

Remark: The samples of the following test points were resubmitted on June 12, 2024:1-1

- Volatile Organic Matter

Unit: %

Report No.: AGC05443240516-001

Test item(s)	Test Condition	MDL	Result(s)	Limit
			1-1	
Volatile Organic Matter	200°C, 4h	0.1	0.32	0.5
Conclusion		/	Conformity	/

Remark: The samples of the following test points were resubmitted on June 12, 2024:1-1

- Peroxide value

Unit: %

Test Item	MDL	Result(s) 1-1	Limit
Peroxide value	0.2	N.D.	Absent
Conclusion	/	Conformity	/

Remark: The samples of the following test points were resubmitted on June 12, 2024:1-1




- Specific Migration of Organotin (measured as Tin)

1 0	,	
	Test Result	Conclusion
Test point	Specific Migration of Organotin (measured as Tin)/ (mg/kg)	
	3% Acetic acid, 40°C,2h	
1-1	N.D.	Conformity
Limit	0.1	/
MDL	0.01	/

Report No.: AGC05443240516-001

Remark: The samples of the following test points were resubmitted on June 12, 2024:1-1


Test Flow Chart of Heavy Metal Content









Test Flow Chart of Phthalates







Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)





Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.

 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***