# Test Report

| | |
|---|---|
| Report No. : | AGC05443230705-001 |

| | | |
|---|---|---|
| **SAMPLE NAME** | : | Double wall flask |
| **MODEL NAME** | : | MO6288 |
| **APPLICANT** | : | MID OCEAN BRANDS B.V |
| **STANDARD(S)** | : | Please refer to the following page(s). |
| **DATE OF ISSUE** | : | Aug. 08, 2023 |

***Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.***

| | | |
|---|---|---|
| Applicant | : | MID OCEAN BRANDS B.V |
| Address | : | 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong. |
| Test Site | : | 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China |

**Report on the submitted sample(s) said to be:**

| | | |
|---|---|---|
| Sample Name | : | Double wall flask |
| Model | : | MO6288 |
| Vendor code | : | 115253 |
| Country of Origin | : | CHINA |
| Country of Destination | : | EUROPE |
| Sample Received Date | : | Jul. 10, 2023 |
| Testing Period | : | Jul. 10, 2023 to Aug. 08, 2023 |
| Test Requested | : | Selected test(s) as requested by client. |

Approved by : Jessie.Liang

Liangdan, Jessie.Liang

Technical Director

| Test Requested: | Conclusion |
|---|---|
| Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63<br>- Lead(Pb) Content | Pass |
| Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23<br>-Cadmium(Cd) Content | Pass |
| Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52<br>- Phthalates Content | Pass |
| Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50<br>- Polycyclic-aromatic Hydrocarbons (PAHs) Content | Pass |
| Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP (2004)5 | |
| - Overall migration | Pass |
| - Bisphenol A(BPA) content | Pass |
| - Specific migration of Bisphenol A(BPA) | Pass |
| - Specific migration of Primary aromatic amines | Pass |
| - Specific migration of Heavy metals | Pass |
| DM-4B-COM-003-v01 | |
| -Volatile Organic Matter | Pass |
| - Peroxide value | Pass |
| - Specific Migration of Organotin (measured as Tin) | Pass |
| Regulation 1935/2004/EC and Technical Guide on Metals and alloys used in food contact materials of Council of Europe Resolution CM/Res(2013)9<br>- Specific migration of Heavy metal | Pass |

Report Revise Record

| Report Version | Issued Date | Valid Version | Notes |
|---|---|---|---|
| / | Aug. 08, 2023 | Valid | Initial release |

# The photo of the sample



The photo of AGC05443230705-001 is for use only with the original report.

**Test Point Description**

| Test point | Test point description |
|---|---|
| 1-1 | Black coating+ Red coating+ Yellow coating (lid) |
| 1-2 | Black plastic cover |
| 1-3 | White silicone sealing |
| 1-4 | Stainless steel cup body |

**Test Results:**

Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001%

Test result on specimen No.1-3 (except Lead(Pb) Content and Cadmium(Cd) Content &Phthalates Content & Polycyclic-aromatic Hydrocarbons (PAHs) Content) were resubmitted on Aug. 01, 2023.

**Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63**

**- Lead(Pb) Content**

Test Methods and Equipment：IEC 62321-5:2013; ICP-OES

| Test Item(s) | Unit | Limit | MDL | Test Result(s) | | | |
|---|---|---|---|---|---|---|---|
| | | | | 1-1 | 1-2 | 1-3 | 1-4 |
| Lead(Pb) | mg/kg | 500 | 10 | N.D. | N.D. | N.D. | N.D. |
| Conclusion | | | | Conformity | Conformity | Conformity | Conformity |

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1

**Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23**

**-Cadmium(Cd) Content**

Test Methods and Equipment：IEC 62321-5:2013; ICP-OES

| Test Item(s) | Unit | Limit | MDL | Test Result(s) | | |
|---|---|---|---|---|---|---|
| | | | | 1-1 | 1-2 | 1-3 |
| Cadmium(Cd) | mg/kg | 100 | 10 | N.D. | N.D. | N.D. |
| Conclusion | | | | Conformity | Conformity | Conformity |

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1

**Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52**

**- Phthalates Content**

Test Methods and Equipment：EN 14372:2004; GC-MS

| Test Item(s) | Unit | Limit | MDL | Test Result(s) | | |
|---|---|---|---|---|---|---|
| | | | | 1-1 | 1-2 | 1-3 |
| Diisobutyl phthalate (DIBP) CAS:84-69-5 | % | 0.1 | 0.01 | N.D. | N.D. | N.D. |
| Dibutyl phthalate (DBP) CAS:84-74-2 | % | 0.1 | 0.01 | N.D. | N.D. | N.D. |
| Butylbenzyl phthalate (BBP) CAS:85-68-7 | % | 0.1 | 0.01 | N.D. | N.D. | N.D. |
| Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7 | % | 0.1 | 0.01 | N.D. | N.D. | N.D. |
| Di-n-octyl phthalate (DNOP) CAS:117-84-0 | % | / | 0.01 | N.D. | N.D. | N.D. |
| Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0 | % | / | 0.01 | N.D. | N.D. | N.D. |
| Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1 | % | / | 0.01 | N.D. | N.D. | N.D. |
| Sum of DIBP +DBP+BBP+DEHP | % | 0.1 | / | N.D. | N.D. | N.D. |
| Sum of DNOP+DINP+DIDP | % | 0.1 | / | N.D. | N.D. | N.D. |
| Conclusion | | | | Conformity | Conformity | Conformity |

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1

Limit requirements of Phthalates

| | |
|---|---|
| Toys and childcare articles | Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1% |
| Toys and childcare articles which can be placed in the mouth by children | The sum of DINP+DIDP+DNOP is less than 0.1% |

**Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50**

**- Polycyclic-aromatic Hydrocarbons (PAHs) Content**

Test Methods and Equipment：Afps GS 2019:01 PAK; GC-MS

| Test Item(s) | Unit | Limit | MDL | Test Result(s) | | |
|---|---|---|---|---|---|---|
| | | | | 1-1 | 1-2 | 1-3 |
| Benzo[a]pyrene(BaP) | mg/kg | 1 | 0.1 | N.D. | N.D. | N.D. |
| Benzo[e]pyrene(BeP) | mg/kg | 1 | 0.1 | N.D. | N.D. | N.D. |
| Benzo[a]anthracene(BaA) | mg/kg | 1 | 0.1 | N.D. | N.D. | N.D. |
| Benzo[b]fluoranthene(BbF) | mg/kg | 1 | 0.1 | N.D. | N.D. | N.D. |
| Benzo[j]fluoranthene(BjFA) | mg/kg | 1 | 0.1 | N.D. | N.D. | N.D. |
| Benzo[k]fluoranthene(BkF) | mg/kg | 1 | 0.1 | N.D. | N.D. | N.D. |
| Chrysene(CHR) | mg/kg | 1 | 0.1 | N.D. | N.D. | N.D. |
| Dibenzo[a,h]anthracene(DBA) | mg/kg | 1 | 0.1 | N.D. | N.D. | N.D. |
| Conclusion | | | | Conformity | Conformity | Conformity |

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1

Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

| Items | CAS No. | Extender oils or used for the production of tyres or parts of tyres | Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity | Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity |
|---|---|---|---|---|
| Benzo[a]pyrene(BaP) | 50-32-8 | ≤ 1 | ≤ 1 | ≤ 0.5 |
| Benzo[e]pyrene(BeP) | 192-97-2 | / | ≤ 1 | ≤ 0.5 |
| Benzo[a]anthracene(BaA) | 56-55-3 | / | ≤ 1 | ≤ 0.5 |
| Benzo[b]fluoranthene(BbF) | 205-99-2 | / | ≤ 1 | ≤ 0.5 |
| Benzo[j]fluoranthene(BjFA) | 205-82-3 | / | ≤ 1 | ≤ 0.5 |
| Benzo[k]fluoranthene(BkF) | 207-08-9 | / | ≤ 1 | ≤ 0.5 |
| Chrysene(CHR) | 218-01-9 | / | ≤ 1 | ≤ 0.5 |
| Dibenzo[a,h]anthracene(DBA) | 53-70-3 | / | ≤ 1 | ≤ 0.5 |
| Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA | / | ≤ 10 | / | / |

**- Overall Migration**

| Test point | | Test result | | Conclusion |
|---|---|---|---|---|
| | | Overall migration/ (mg/dm$^2$) | | |
| | | 3% Acetic acid, 70°C,2h | 50% Ethanol, 70°C,2h | |
| 1-2 | 1st migration | 6.0 | N.D. | Conformity |
| | 2nd migration | N.D. | N.D. | |
| | 3rd migration | N.D. | N.D. | |
| **Limit** | | 10 | 10 | / |
| **MDL** | | 5 | 5 | / |

| Test point | Test Result | | Conclusion |
|---|---|---|---|
| | Overall migration/ (mg/dm$^2$) | | |
| | 3% Acetic acid, 70°C,2h | 50% Ethanol, 70°C,2h | |
| 1-3 | N.D. | N.D. | **Conformity** |
| **Limit** | 10 | 10 | / |
| **MDL** | 5 | 5 | / |

**- Bisphenol A(BPA) content**

| **Test Item** | Bisphenol A (BPA) |
|---|---|
| **Limit(mg/kg)** | Absent |
| **MDL(mg/kg)** | 0.1 |
| **Test Method/ Instrument** | EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS |

| Test point | Test Result (mg/kg) | Conclusion |
|---|---|---|
| | **Bisphenol A (BPA)** | |
| 1-2 | N.D. | **Conformity** |

| Test Item | Bisphenol A (BPA) |
|---|---|
| **Limit(Client's Requirement) (mg/kg)** | Absent |
| **MDL(mg/kg)** | 0.1 |
| **Test Method/ Instrument** | EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS |

| **Test point** | **Test Result (mg/kg)** | **Conclusion** |
|---|---|---|
| | **Bisphenol A (BPA)** | |
| 1-3 | N.D. | **Conformity** |

**- Specific migration of Bisphenol A(BPA)**

| **Test point** | **Test Result** | **Conclusion** |
|---|---|---|
| | Specific migration of Bisphenol A(BPA)/ (mg/kg) | |
| | 3% Acetic acid, 70°C,2h | |
| 1-3 | N.D. | **Conformity** |
| **Limit(Client's Requirement)** | 0.05 | / |
| **MDL** | 0.02 | / |

**- Specific migration of Primary aromatic amines**

| Test Item(s) | MDL (mg/kg) | Limit (mg/kg) |
|---|---|---|
| 4-Aminobiphenyl | 0.002 | N.D. |
| Benzidine | 0.002 | N.D. |
| 4-Chloro-o-Toluidine | 0.002 | N.D. |
| 2-Naphthylamine | 0.002 | N.D. |
| 4-amino-2',3-dimethylazobenzene | 0.002 | N.D. |
| 5-Nitro-o-toluidine | 0.002 | N.D. |
| 4-Chloroaniline | 0.002 | N.D. |
| 4-Methoxy-m-phenylenediamine | 0.002 | N.D. |
| 4,4'-Diaminodiphenylmethane | 0.002 | N.D. |
| 3,3'-Dichlorobenzidine | 0.002 | N.D. |
| 3,3'-Dimethoxybenzidine | 0.002 | N.D. |
| 3,3'-Dimethybenzidine | 0.002 | N.D. |
| 4,4'-Methylenedi-o-toluidine | 0.002 | N.D. |
| 6-methoxy-m-toluidine | 0.002 | N.D. |
| 4,4'-methylenebis[2-chloroaniline] | 0.002 | N.D. |
| 4,4'-Oxydianiline | 0.002 | N.D. |
| 4,4'-Thiodianiline | 0.002 | N.D. |
| 2-Aminotoluene | 0.002 | N.D. |
| 4-methyl-m-phenylenediamine | 0.002 | N.D. |
| 2,4,5-Trimethylaniline | 0.002 | N.D. |
| 2-Methoxyaniline | 0.002 | N.D. |
| 4-Aminoazobenzene | 0.002 | N.D. |
| 1,3 phenylenediamine | 0.002 | N.D. |
| Total of other primary aromatic amines | 0.01 | 0.01 |

| Test Item(s) | Test Result (mg/kg) |
|---|---|
| | 1-2 |
| | 3% Acetic acid<br>70°C, 2h |
| 4-Aminobiphenyl | N.D. |
| Benzidine | N.D. |
| 4-Chloro-o-Toluidine | N.D. |
| 2-Naphthylamine | N.D. |
| 4-amino-2',3-dimethylazobenzene | N.D. |
| 5-Nitro-o-toluidine | N.D. |
| 4-Chloroaniline | N.D. |
| 4-Methoxy-m-phenylenediamine | N.D. |
| 4,4'-Diaminodiphenylmethane | N.D. |
| 3,3'-Dichlorobenzidine | N.D. |
| 3,3'-Dimethoxybenzidine | N.D. |
| 3,3'-Dimethybenzidine | N.D. |
| 4,4'-Methylenedi-o-toluidine | N.D. |
| 6-methoxy-m-toluidine | N.D. |
| 4,4'-methylenebis[2-chloroaniline] | N.D. |
| 4,4'-Oxydianiline | N.D. |
| 4,4'-Thiodianiline | N.D. |
| 2-Aminotoluene | N.D. |
| 4-methyl-m-phenylenediamine | N.D. |
| 2,4,5-Trimethylaniline | N.D. |
| 2-Methoxyaniline | N.D. |
| 4-Aminoazobenzene | N.D. |
| 1,3 phenylenediamine | N.D. |
| Total of other primary aromatic amines | N.D. |
| **Conclusion** | **Conformity** |

**-Specific migration of Heavy metals**

| Test Item(s) | Test condition/ Equipment | MDL (mg/kg) | Test Result(s) (mg/kg) | | | Limit (mg/kg) |
|---|---|---|---|---|---|---|
| | | | 1-2 | | | |
| | | | 1st migration | 2nd migration | 3rd migration | |
| Barium (Ba) | 3% Acetic acid/ 70°C, 2h/ ICP-OES/ IC | 0.1 | N.D. | N.D. | N.D. | 1 |
| Cobalt (Co) | | 0.01 | N.D. | N.D. | N.D. | 0.05 |
| Copper (Cu) | | 0.25 | N.D. | N.D. | N.D. | 5 |
| Iron (Fe) | | 0.25 | N.D. | N.D. | N.D. | 48 |
| Lithium (Li) | | 0.1 | N.D. | N.D. | N.D. | 0.6 |
| Manganese (Mn) | | 0.1 | N.D. | N.D. | N.D. | 0.6 |
| Zinc (Zn) | | 0.25 | N.D. | N.D. | N.D. | 5 |
| Aluminum (Al) | | 0.1 | N.D. | N.D. | N.D. | 1 |
| Europium (Eu) | | 0.01 | N.D. | N.D. | N.D. | / |
| Gadolinium (Gd) | | 0.01 | N.D. | N.D. | N.D. | / |
| Lanthanum (La) | | 0.01 | N.D. | N.D. | N.D. | / |
| Terbium (Tb) | | 0.01 | N.D. | N.D. | N.D. | / |
| Sum(Eu+Gd+La+Tb) | | / | N.D. | N.D. | N.D. | 0.05 |
| Antimony (Sb) | | 0.01 | N.D. | N.D. | N.D. | 0.04 |
| Arsenic (As) | | 0.01 | N.D. | N.D. | N.D. | N.D. |
| Cadmium (Cd) | | 0.002 | N.D. | N.D. | N.D. | N.D. |
| Chromium (Cr) | | 0.01 | N.D. | N.D. | N.D. | N.D. |
| Lead (Pb) | | 0.01 | N.D. | N.D. | N.D. | N.D. |
| Mercury (Hg) | | 0.01 | N.D. | N.D. | N.D. | N.D. |
| Nickel (Ni) | | 0.01 | N.D. | N.D. | N.D. | 0.02 |
| **Conclusion** | | / | **Conformity** | | | / |
| Ammonium ($NH_4^+$) | | 0.10 | N.D. | N.D. | N.D. | / |
| Calcium (Ca) | | 0.01 | 0.208 | 0.033 | 0.031 | / |
| Magnesium (Mg) | | 0.01 | 0.023 | N.D. | N.D. | / |
| Potassium (K) | | 0.01 | 0.041 | N.D. | N.D. | / |
| Sodium (Na) | | 0.01 | 0.051 | N.D. | N.D. | / |

**- Volatile Organic Matter**

Unit: %

| Test item(s) | Test Condition | MDL | Result(s) | Limit |
|---|---|---|---|---|
| | | | 1-3 | |
| Volatile Organic Matter | 200°C, 4h | 0.1 | 0.44 | 0.5 |
| **Conclusion** | | / | **Conformity** | / |

**- Peroxide value**

Unit: %

| Test Item | MDL | Result(s) | Limit |
|---|---|---|---|
| | | 1-3 | |
| Peroxide value | 0.2 | N.D. | Absent |
| **Conclusion** | / | **Conformity** | / |

**- Specific Migration of Organotin (measured as Tin)**

| Test point | Test Result | Conclusion |
|---|---|---|
| | Specific Migration of Organotin (measured as Tin)/ (mg/kg) | |
| | 3% Acetic acid, 70°C,2h | |
| 1-3 | N.D. | **Conformity** |
| **Limit** | 0.1 | / |
| **MDL** | 0.01 | / |

**- Specific migration of heavy metal:**

Test Method: With reference to EDQM Technical Guide on Metals and alloys used in food contact materials 2013.

Unit: mg/kg

| Test Item(s) | Test condition/ Equipment | MDL | Test Result(s) | Limit |
|---|---|---|---|---|
| | | | 1st + 2nd extractives | |
| | | | 1-4 | |
| Barium (Ba) | Artificial tap water, 70℃, 2h ICP-OES | 0.1 | N.D. | 8.4 |
| Copper (Cu) | | 0.1 | N.D. | 28 |
| Iron (Fe) | | 0.1 | N.D. | 280 |
| Tin (Sn) | | 0.1 | N.D. | 700 |
| Chromium (Cr) | | 0.01 | N.D. | 1.75 |
| Manganese (Mn) | | 0.1 | N.D. | 12.6 |
| Zinc (Zn) | | 0.1 | N.D. | 35 |
| Aluminium (Al) | | 0.1 | N.D. | 35 |
| Lithium (Li) | | 0.01 | N.D. | 0.336 |
| Beryllium (Be) | | 0.005 | N.D. | 0.07 |
| Vanadium (V) | | 0.005 | N.D. | 0.07 |
| Nickel (Ni) | | 0.01 | N.D. | 0.98 |
| Cobalt (Co) | | 0.01 | N.D. | 0.14 |
| Arsenic (As) | | 0.002 | N.D. | 0.014 |
| Molybdenum (Mo) | | 0.01 | N.D. | 0.84 |
| Silver (Ag) | | 0.01 | N.D. | 0.56 |
| Cadmium (Cd) | | 0.002 | N.D. | 0.035 |
| Antimony (Sb) | | 0.01 | N.D. | 0.28 |
| Mercury (Hg) | | 0.002 | N.D. | 0.021 |
| Thallium (Tl) | | 0.0001 | N.D. | 0.0007 |
| Lead (Pb) | | 0.01 | N.D. | 0.07 |
| **Conclusion** | | / | **Conformity** | / |

| Test Item(s) | Test condition/ Equipment | MDL | Test Result(s) | Limit |
|---|---|---|---|---|
| | | | 3rd extractives | |
| | | | 1-4 | |
| Barium (Ba) | Artificial tap water, 70℃, 2h ICP-OES | 0.1 | N.D. | 1.2 |
| Copper (Cu) | | 0.1 | N.D. | 4 |
| Iron (Fe) | | 0.1 | N.D. | 40 |
| Tin (Sn) | | 0.1 | N.D. | 100 |
| Chromium (Cr) | | 0.01 | N.D. | 0.25 |
| Manganese (Mn) | | 0.1 | N.D. | 1.8 |
| Zinc (Zn) | | 0.1 | N.D. | 5 |
| Aluminium (Al) | | 0.1 | N.D. | 5 |
| Lithium (Li) | | 0.01 | N.D. | 0.048 |
| Beryllium (Be) | | 0.005 | N.D. | 0.01 |
| Vanadium (V) | | 0.005 | N.D. | 0.01 |
| Nickel (Ni) | | 0.01 | N.D. | 0.14 |
| Cobalt (Co) | | 0.01 | N.D. | 0.02 |
| Arsenic (As) | | 0.002 | N.D. | 0.002 |
| Molybdenum (Mo) | | 0.01 | N.D. | 0.12 |
| Silver (Ag) | | 0.01 | N.D. | 0.08 |
| Cadmium (Cd) | | 0.002 | N.D. | 0.005 |
| Antimony (Sb) | | 0.01 | N.D. | 0.04 |
| Mercury (Hg) | | 0.002 | N.D. | 0.003 |
| Thallium (Tl) | | 0.0001 | N.D. | 0.0001 |
| Lead (Pb) | | 0.01 | N.D. | 0.01 |
| **Conclusion** | | / | **Conformity** | / |

## Test Flow Chart of Heavy Metal Content




## Test Flow Chart of Phthalates



## Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)



# Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").

2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.

3.The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.

4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.

5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.

6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.

7.Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.

8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.

9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***