

Test Report

Report No. : AGC05443221122-001

SAMPLE NAME : Multifunctional Camping Knife

MODEL NAME : MO6473

APPLICANT: MID OCEAN BRANDS B.V

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE : Nov. 28, 2022

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Report No.: AGC05443221122-001

Page 1 of 12

Pass

Pass

Pass

Applicant : MID OCEAN BRANDS B.V

Address : 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong

Kong.

Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng

Street, Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : Multifunctional Camping Knife

Model : MO6473
Vendor code : 114276
Country of Origin : CHINA
Country of Destination : EUROPE
Sample Received Date : Nov. 18, 2022

Testing Period : Nov. 18, 2022 to Nov. 28, 2022

Test Requested : Selected test(s) as requested by client.

Test Requested:

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63
- Lead(Pb) Content

Conclusion

Pass

- Formaldehyde Release

EU regulation 1935/2004/EC and LFGB §64 BVL B 82.02 Part 8

- Pentachlorophenol (PCP) Content

Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation

(EU) 2020/1245

-Specific migration of Formaldehyde

Regulation 1935/2004/EC and Technical Guide on Metals and alloys used in food contact materials of Council of Europe Resolution CM/Res(2013)9

- Specific migration of Heavy metal Pass

Approved by:

Liangdan, Jessie.Liang

Jossie lian

Technical Director




Report No.: AGC05443221122-001

Page 2 of 12

Report Revise Record

Report Version	Issued Date	Valid Version	Notes
/	Nov. 28, 2022	Valid	Initial release





The photo of the sample



The photo of AGC05443221122-001 is for use only with the original report.

Test Point Description

Test point	Test point description
1-1	Spoon+Fork+Knife
1-2	Drill
1-3	Metal bottle opener
1-4	Bamboo handle
1-5	Spoon
1-6	Fork
1-7	Knife



Report No.: AGC05443221122-001

Page 4 of 12

Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit

%= percentage (W/W), mg/kg = milligram per kilogram, mg/dm²= milligrams per decimeter squared,

 \triangle = As specified by client, the submitted samples were mixed to test.

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

- Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

T4 I4(-)	IIuit I iuuit		MDI	Test Result(s)	
Test Item(s)	Unit	Limit	MDL	1-1△	1-2
Lead(Pb)	mg/kg	500	10	N.D.	N.D.
Con			Conformity	Conformity	

Test Item(s)	Thit	Timit	MDI	Test Result(s)	
Test Item(s)	Unit	Limit	MDL	1-3	1-4
Lead(Pb)	mg/kg	500	10	N.D.	N.D.
Con	nclusion			Conformity	Conformity

- Formaldehyde Release

Test Methods and Equipment: EN 717-3:1996; UV-Vis

Tost Itom(s)	Unit	Client's	MDL	Test Result(s)
Test Item(s)	Ullit	limit	MIDL	1-4
Formaldehyde Release	mg/kg	80	1	N.D.
Co	onclusion			Conformity

- Pentachlorophenol (PCP) content


Test Item Test Method/ MDL	MDI	Test result	Limit	
1 est Item	Equipment	MDL	1-4	Limit
Pentachlorophenol (PCP)/ (mg/kg)	ENISO 15320-2011/ GC-MS	0.05	N.D.	0.15
Conclusion	/	/	Conformity	/

- Specific migration of Formaldehyde

		Test Result		
	Test point	Specific migration of Formaldehyde/ (mg/kg)	Conclusion	
		3% Acetic acid, 70°C,2h		
	1 st migration	6.7		
1-4	2 nd migration	10.6	Conformity	
	3 rd migration	12.0		
	Limit	15	/	
	MDL	5	/	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/






-Specific migration of Heavy metals

Test Item(s)	Test condition/ Equipment	MDL (mg/kg)	Test Result(s) (mg/kg) 1-5	Limit (mg/kg)
			1st + 2nd extractives	
Barium (Ba)		0.1	N.D.	8.4
Copper (Cu)		0.1	N.D.	28
Iron (Fe)		0.1	N.D.	280
Tin (Sn)		0.1	N.D.	700
Chromium (Cr)		0.01	0.015	1.75
Manganese (Mn)		0.1	N.D.	12.6
Zinc (Zn)		0.1	N.D.	35
Aluminium (Al)		0.1	N.D.	35
Lithium (Li)		0.01	N.D.	0.336
Beryllium (Be)		0.005	N.D.	0.07
Vanadium (V)	0.5% Citric acid,	0.005	N.D.	0.07
Nickel (Ni)	70°C, 2h, ICP-OES	0.01	N.D.	0.98
Cobalt (Co)		0.01	N.D.	0.14
Arsenic (As)		0.002	N.D.	0.014
Molybdenum(Mo)		0.01	N.D.	0.84
Silver (Ag)		0.01	N.D.	0.56
Cadmium (Cd)		0.002	N.D.	0.035
Antimony (Sb)		0.01	N.D.	0.28
Mercury (Hg)		0.002	N.D.	0.021
Thallium (Tl)		0.0001	N.D.	0.0007
Lead (Pb)		0.01	N.D.	0.07
Conclusion		/	Conformity	/






T4 14(-)	Test condition/	MDL	Test Result(s) (mg/kg)	Limit
Test Item(s)	Equipment	(mg/kg)	1-5	(mg/kg)
			3 rd extractives	
Barium (Ba)		0.1	N.D.	1.2
Copper (Cu)		0.1	N.D.	4
Iron (Fe)		0.1	N.D.	40
Tin (Sn)		0.1	N.D.	100
Chromium (Cr)		0.01	N.D.	0.25
Manganese (Mn)		0.1	N.D.	1.8
Zinc (Zn)		0.1	N.D.	5
Aluminium (Al)		0.1	N.D.	5
Lithium (Li)		0.01	N.D.	0.048
Beryllium (Be)		0.005	N.D.	0.01
Vanadium (V)	0.5% Citric acid,	0.005	N.D.	0.01
Nickel (Ni)	70°C, 2h, ICP-OES	0.01	N.D.	0.14
Cobalt (Co)		0.01	N.D.	0.02
Arsenic (As)		0.002	N.D.	0.002
Molybdenum(Mo)		0.01	N.D.	0.12
Silver (Ag)		0.01	N.D.	0.08
Cadmium (Cd)		0.002	N.D.	0.005
Antimony (Sb)		0.01	N.D.	0.04
Mercury (Hg)		0.002	N.D.	0.003
Thallium (Tl)		0.0001	N.D.	0.0001
Lead (Pb)		0.01	N.D.	0.01
Conclusion		/	Conformity	/






Test Item(s)	Test condition/ Equipment	MDL (mg/kg)	Test Result(s) (mg/kg) 1-6	Limit (mg/kg)
Barium (Ba)		0.1	1 st + 2 nd extractives N.D.	8.4
Copper (Cu)		0.1	N.D.	28
Iron (Fe)		0.1	N.D.	280
Tin (Sn)		0.1	N.D.	700
Chromium (Cr)		0.01	N.D.	1.75
Manganese (Mn)		0.1	N.D.	12.6
Zinc (Zn)		0.1	N.D.	35
Aluminium (Al)		0.1	N.D.	35
Lithium (Li)		0.01	N.D.	0.336
Beryllium (Be)		0.005	N.D.	0.07
Vanadium (V)	0.5% Citric acid,	0.005	N.D.	0.07
Nickel (Ni)	70°C, 2h, ICP-OES	0.01	N.D.	0.98
Cobalt (Co)		0.01	N.D.	0.14
Arsenic (As)		0.002	N.D.	0.014
Molybdenum(Mo)		0.01	N.D.	0.84
Silver (Ag)		0.01	N.D.	0.56
Cadmium (Cd)		0.002	N.D.	0.035
Antimony (Sb)		0.01	N.D.	0.28
Mercury (Hg)		0.002	N.D.	0.021
Thallium (Tl)		0.0001	N.D.	0.0007
Lead (Pb)		0.01	N.D.	0.07
Conclusion		/	Conformity	/






Test Item(s)	Test condition/ Equipment	MDL (mg/kg)	Test Result(s) (mg/kg) 1-6	Limit (mg/kg)
			3 rd extractives	
Barium (Ba)		0.1	N.D.	1.2
Copper (Cu)		0.1	N.D.	4
Iron (Fe)		0.1	N.D.	40
Tin (Sn)		0.1	N.D.	100
Chromium (Cr)		0.01	N.D.	0.25
Manganese (Mn)		0.1	N.D.	1.8
Zinc (Zn)		0.1	N.D.	5
Aluminium (Al)		0.1	N.D.	5
Lithium (Li)		0.01	N.D.	0.048
Beryllium (Be)		0.005	N.D.	0.01
Vanadium (V)	0.5% Citric acid,	0.005	N.D.	0.01
Nickel (Ni)	70°C, 2h, ICP-OES	0.01	N.D.	0.14
Cobalt (Co)		0.01	N.D.	0.02
Arsenic (As)		0.002	N.D.	0.002
Molybdenum(Mo)		0.01	N.D.	0.12
Silver (Ag)		0.01	N.D.	0.08
Cadmium (Cd)		0.002	N.D.	0.005
Antimony (Sb)		0.01	N.D.	0.04
Mercury (Hg)		0.002	N.D.	0.003
Thallium (Tl)		0.0001	N.D.	0.0001
Lead (Pb)		0.01	N.D.	0.01
Conclusion		/	Conformity	/






Test Item(s)	Test condition/ Equipment	MDL (mg/kg)	Test Result(s) (mg/kg) 1-7	Limit (mg/kg)
			1st + 2nd extractives	
Barium (Ba)		0.1	N.D.	8.4
Copper (Cu)		0.1	N.D.	28
Iron (Fe)		0.1	N.D.	280
Tin (Sn)		0.1	N.D.	700
Chromium (Cr)		0.01	N.D.	1.75
Manganese (Mn)		0.1	N.D.	12.6
Zinc (Zn)		0.1	N.D.	35
Aluminium (Al)		0.1	N.D.	35
Lithium (Li)		0.01	N.D.	0.336
Beryllium (Be)		0.005	N.D.	0.07
Vanadium (V)	0.5% Citric acid,	0.005	N.D.	0.07
Nickel (Ni)	70°C, 2h, ICP-OES	0.01	N.D.	0.98
Cobalt (Co)		0.01	N.D.	0.14
Arsenic (As)		0.002	N.D.	0.014
Molybdenum(Mo)		0.01	N.D.	0.84
Silver (Ag)		0.01	N.D.	0.56
Cadmium (Cd)		0.002	N.D.	0.035
Antimony (Sb)		0.01	N.D.	0.28
Mercury (Hg)		0.002	N.D.	0.021
Thallium (Tl)		0.0001	N.D.	0.0007
Lead (Pb)		0.01	N.D.	0.07
Conclusion		/	Conformity	/







Test Item(s)	Test condition/ Equipment	MDL (mg/kg)	Test Result(s) (mg/kg) 1-7 3 rd extractives	Limit (mg/kg)
Copper (Cu)	0.1	N.D.	4	
Iron (Fe)	0.1	N.D.	40	
Tin (Sn)	0.1	N.D.	100	
Chromium (Cr)	0.01	N.D.	0.25	
Manganese (Mn)	0.1	N.D.	1.8	
Zinc (Zn)	0.1	N.D.	5	
Aluminium (Al)	0.1	N.D.	5	
Lithium (Li)	0.01	N.D.	0.048	
Beryllium (Be)	0.005	N.D.	0.01	
Vanadium (V)	0.005	N.D.	0.01	
Nickel (Ni)	0.01	N.D.	0.14	
Cobalt (Co)	0.01	N.D.	0.02	
Arsenic (As)	0.002	N.D.	0.002	
Molybdenum(Mo)	0.01	N.D.	0.12	
Silver (Ag)	0.01	N.D.	0.08	
Cadmium (Cd)	0.002	N.D.	0.005	
Antimony (Sb)	0.01	N.D.	0.04	
Mercury (Hg)	0.002	N.D.	0.003	
Thallium (Tl)	0.0001	N.D.	0.0001	
Lead (Pb)	0.01	N.D.	0.01	
Conclusion	/	Conformity	/	






Test Flow Chart of Heavy Metal Content







Test Flow Chart of Formaldehyde Release





Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
- 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***