

Test Report

Report No. : AGC05443220540-001

SAMPLE NAME: Coffee grinder set

MODEL NAME: MO6675

APPLICANT: MID OCEAN BRANDS B.V

STANDARD(S): Please refer to the following page(s).

DATE OF

: Jun.14, 2022

Attestation of Global Compliance (Skenzhen) Std & Tech Co., Ltd.





Page 1of 19

Applicant : MID OCEAN BRANDS B.V

Address : 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong

Kong.

Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community,

Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : Coffee grinder set

Model : MO6675

Country of origin : CHINA

Country of destination : EUROPE

Vendor code : 104438

Sample Received Date : May 25, 2022

Testing Period : May 25, 2022 to Jun.14, 2022

Approved by:

Approved by: Jessie Lians

Qinlianzhi, Reed

Liangdan, Jessie.Liang

Laboratory Supervisor

Lach

Technical Director



Page 2of 19

Report Revise Record

Report Version	Issued Date	Valid Version	Notes
/	Jun.14, 2022	Valid	Initial release



Page 3of 19

Test	t Requested:	Conclusion
1.	As specified by client, to determine the Phthalates content in the submitted sample(s) with reference to entry 51&52, Annex XVII of the REACH Regulation (EC) No 1907/2006.	Pass
2.	As specified by client, to determine the Cadmium(Cd) content in the submitted sample(s) with reference to entry 23, Annex XVII of the REACH Regulation (EC) No 1907/2006.	Pass
3.	As specified by client, to determine the Lead(Pb) content in the submitted sample(s) with reference to entry 63, Annex XVII of the REACH Regulation (EC) No 1907/2006.	Pass
4.	As specified by client, to determine the Formaldehyde Release in the submitted sample(s).	Pass
5.	As specified by client, to test sample with reference to food for compliance with Regulation 1935/2004/EC and Technical Guide on Metals and alloys used in food contact materials of Council of Europe Resolution CM/Res(2013)9. for metal:	
	- Extractable heavy metal	Pass
6.	As specified by client, the following items are determined in the submitted sample with reference to Regulation 1935/2004/EC, Regulation(EU) No 10/2011 for:	
	-Pentachlorophenol (PCP) Content	Pass
7.	-Specific Migration of Formaldehyde As specified by client, the following items are determined in the submitted sample with reference to Regulation 1935/2004/EC, Regulation(EU) No 10/2011& (EU)2018/213& (EU) 2020/1245 for PP:	Pass
	- Overall Migration (3% Acetic acid, 50% ethanol)	Pass
	- Bisphenol A(BPA) content	Pass
	- Specific Migration of Aromatic Amines	Pass
	- Specific Migration of Heavy metals	Pass
8.	As specified by client, to determine the Leachable Lead and Cadmium content in ceramic Ware with reference to Regulation 1935/2004/EC, NO.84/500/EEC and 2005/31/EC.	Pass
9.	As specified by client, to determined for mechanical dishwashing safe test.	1



Page 4of 19

Test Result:

1.Test Result of Phthalates Content

Test Item	Test Method/ Instrument	MDL	Limit	
Diisobutyl phthalate(DIBP) (CAS No.: 84-69-5)		0.010%		
Dibutyl phthalate (DBP)		0.010%		
(CAS No.: 84-74-2) Butylbenzyl phthalate (BBP)		0.01070	Single<0.1% Sum<0.1%	
(CAS No.: 85-68-7)		0.010%	Sum\0.170	
Di-(2-ethylhexyl) Phthalate (DEHP)	EN 14372:2004/ GC-MS	0.010%	1	
(CAS No.: 117-81-7) Di-n-octyl phthalate (DNOP)	21 (116,2.200 % 00 1120	0.0100/		
(CAS No.: 117-84-0)		0.010%		
Di-isononyl phthalate (DINP) (CAS No.: 28553-12-0;68515-48-0)		0.010%	Sum<0.1%	
Di-isodecyl phthalate(DIDP)		0.010%		
(CAS No.: 26761-40-0; 68515-49-1)		0.01070		

Test	Test result (%)						~			
	DIBP	DBP	BBP	DEHP	Sum(DIBP+DBP +BBP+DEHP)	DNOP	DINP	DIDP	Sum(DNOP+ DINP+DIDP)	
1-7*	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	Conformity
1-8	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	Conformity

2.Test Result of Cadmium(Cd)Content

Test Item	Cadmium(Cd) (CAS No.: 7440-43-9)
Limit(mg/kg)	<100
MDL(mg/kg)	10
Test Method/ Instrument	IEC 62321-5:2013/ ICP-OES

Tost point	Test result (mg/kg)	Conclusion
Test point	Cadmium(Cd)	Conclusion
1-7*	N.D.	Conformity
1-8	N.D.	Conformity



Page 5of 19

3. Test Result of Lead(Pb)Content

Test Item	Lead(Pb) (CAS No.: 7439-92-1)			
Limit(mg/kg)	<500			
MDL(mg/kg)	10			
Test Method/ Instrument	IEC 62321-5:2013/ ICP-OES			

Tost point	Test result (mg/kg)	C. I.
Test point	Lead(Pb)	Conclusion
1-1*	35	Conformity
1-2*	N.D.	Conformity
1-3*	N.D.	Conformity
1-4*	N.D.	Conformity
1-5*	N.D.	Conformity
1-6*	14	Conformity
1-7*	N.D.	Conformity
1-8	N.D.	Conformity
1-9*	N.D.	Conformity
1-10*	N.D.	Conformity

4. Test result of Formaldehyde Release

Test Item(s)	Formaldehyde Release			
Limit (Client's Requirement) (mg/kg)	80			
MDL (mg/kg)	1			
Test Method/ Equipment	EN717-3:1996/ UV-Vis			

Toot maint	Test result (mg/kg)	Canalusian
Test point	Formaldehyde Release	Conclusion
1-2*	6	Conformity

Note:

mg/kg =milligram per kilogram MDL = Method Detection Limit N.D.=Not Detected(less than method detection limit)




Report No.: AGC05443220540-001 Page 6of 19

5. Test result of Extractable heavy metal

Unit: mg/kg

			Test Result(s)	
Test Item(s)	Test condition/ Equipment	MDL	1st + 2nd extractives	Limit
	Equipment		1-13	
Barium (Ba)		0.1	N.D.	8.4
Copper (Cu)		0.1	N.D.	28
Iron (Fe)		0.1	5.851	280
Tin (Sn)		0.1	N.D.	700
Chromium (Cr)		0.01	0.162	1.75
Manganese (Mn)		0.1	1.015	12.6
Zinc (Zn)		0.1	N.D.	35
Aluminum (Al)		0.1	N.D.	35
Lithium (Li)		0.01	N.D.	0.336
Beryllium (Be)		0.005	N.D.	0.07
Vanadium (V)	0.5% Citric acid /	0.005	N.D.	0.07
Nickel (Ni)	70°C, 2h ICP-OES	0.01	N.D.	0.98
Cobalt (Co)		0.01	N.D.	0.14
Arsenic (As)		0.002	N.D.	0.014
Molybdenum (Mo)		0.01	N.D.	0.84
Silver (Ag)		0.01	N.D.	0.56
Cadmium (Cd)		0.002	N.D.	0.035
Antimony (Sb)		0.01	N.D.	0.28
Mercury (Hg)		0.002	N.D.	0.021
Thallium (Tl)		0.0001	N.D.	0.0007
Lead (Pb)		0.01	N.D.	0.07
Conclusion		/	Conformity	/





Unit: mg/kg


Ur					
	Test condition/ Equipment		Test Result(s)		
Test Item(s)		MDL	3 rd extractives	Limit	
	24		1-13		
Barium (Ba)		0.1	N.D.	1.2	
Copper (Cu)		0.1	N.D.	4	
Iron (Fe)		0.1	0.981	40	
Tin (Sn)		0.1	N.D.	100	
Chromium (Cr)		0.01	0.049	0.25	
Manganese (Mn)		0.1	0.243	1.8	
Zinc (Zn)		0.1	N.D.	5	
Aluminum (Al)		0.1	N.D.	5	
Lithium (Li)		0.01	N.D.	0.048	
Beryllium (Be)		0.005	N.D.	0.01	
Vanadium (V)	0.5% Citric acid / 70°C, 2h	0.005	N.D.	0.01	
Nickel (Ni)	ICP-OES	0.01	N.D.	0.14	
Cobalt (Co)		0.01	N.D.	0.02	
Arsenic (As)		0.002	N.D.	0.002	
Molybdenum (Mo)		0.01	N.D.	0.12	
Silver (Ag)		0.01	N.D.	0.08	
Cadmium (Cd)		0.002	N.D.	0.005	
Antimony (Sb)		0.01	N.D.	0.04	
Mercury (Hg)		0.002	N.D.	0.003	
Thallium (Tl)		0.0001	N.D.	0.0001	
Lead (Pb)		0.01	N.D.	0.01	
Conclusion		/	Conformity	/	



Report No.: AGC05443220540-001 Page 8of 19

Unit: mg/kg

			Test Result(s)		
Test Item(s)	Test condition/ Equipment	MDL	1st + 2nd extractives	Limit	
	Equipment		1-14		
Barium (Ba)		0.1	N.D.	8.4	
Copper (Cu)		0.1	N.D.	28	
Iron (Fe)		0.1	1.004	280	
Tin (Sn)		0.1	N.D.	700	
Chromium (Cr)		0.01	N.D.	1.75	
Manganese (Mn)		0.1	0.215	12.6	
Zinc (Zn)		0.1	N.D.	35	
Aluminum (Al)		0.1	N.D.	35	
Lithium (Li)		0.01	N.D.	0.336	
Beryllium (Be)		0.005	N.D.	0.07	
Vanadium (V)	0.5% Citric acid /	0.005	N.D.	0.07	
Nickel (Ni)	70°C, 2h ICP-OES	0.01	N.D.	0.98	
Cobalt (Co)		0.01	N.D.	0.14	
Arsenic (As)		0.002	N.D.	0.014	
Molybdenum (Mo)		0.01	N.D.	0.84	
Silver (Ag)		0.01	N.D.	0.56	
Cadmium (Cd)		0.002	N.D.	0.035	
Antimony (Sb)		0.01	N.D.	0.28	
Mercury (Hg)		0.002	N.D.	0.021	
Thallium (Tl)		0.0001	N.D.	0.0007	
Lead (Pb)		0.01	N.D.	0.07	
Conclusion		/	Conformity	/	





Unit: mg/kg


Unit: mg/kg					
	Test condition/		Test Result(s)		
Test Item(s)	Equipment	MDL	3 rd extractives	Limit	
	Equipment		1-14		
Barium (Ba)		0.1	N.D.	1.2	
Copper (Cu)		0.1	N.D.	4	
Iron (Fe)		0.1	0.449	40	
Tin (Sn)		0.1	N.D.	100	
Chromium (Cr)		0.01	N.D.	0.25	
Manganese (Mn)		0.1	0.104	1.8	
Zinc (Zn)		0.1	N.D.	5	
Aluminum (Al)		0.1	N.D.	5	
Lithium (Li)		0.01	N.D.	0.048	
Beryllium (Be)		0.005	N.D.	0.01	
Vanadium (V)	0.5% Citric acid /	0.005	N.D.	0.01	
Nickel (Ni)	70°C, 2h ICP-OES	0.01	N.D.	0.14	
Cobalt (Co)		0.01	N.D.	0.02	
Arsenic (As)		0.002	N.D.	0.002	
Molybdenum (Mo)		0.01	N.D.	0.12	
Silver (Ag)		0.01	N.D.	0.08	
Cadmium (Cd)		0.002	N.D.	0.005	
Antimony (Sb)		0.01	N.D.	0.04	
Mercury (Hg)		0.002	N.D.	0.003	
Thallium (Tl)		0.0001	N.D.	0.0001	
Lead (Pb)		0.01	N.D.	0.01	
Conclusion]	/	Conformity	/	



Report No.: AGC05443220540-001 Page 10of 19

Unit: mg/kg

			Test Result(s)	Omt. mg/kg	
Test Item(s)	Test condition/ Equipment	MDL	1 st + 2 nd extractives	Limit	
	Equipment		1-15		
Barium (Ba)		0.1	N.D.	8.4	
Copper (Cu)		0.1	N.D.	28	
Iron (Fe)		0.1	2.300	280	
Tin (Sn)		0.1	N.D.	700	
Chromium (Cr)		0.01	0.115	1.75	
Manganese (Mn)		0.1	N.D.	12.6	
Zinc (Zn)		0.1	N.D.	35	
Aluminum (Al)		0.1	N.D.	35	
Lithium (Li)		0.01	N.D.	0.336	
Beryllium (Be)		0.005	N.D.	0.07	
Vanadium (V)	0.5% Citric acid /	0.005	N.D.	0.07	
Nickel (Ni)	70°C, 2h ICP-OES	0.01	0.072	0.98	
Cobalt (Co)		0.01	N.D.	0.14	
Arsenic (As)		0.002	N.D.	0.014	
Molybdenum (Mo)		0.01	N.D.	0.84	
Silver (Ag)		0.01	N.D.	0.56	
Cadmium (Cd)		0.002	N.D.	0.035	
Antimony (Sb)		0.01	N.D.	0.28	
Mercury (Hg)		0.002	N.D.	0.021	
Thallium (Tl)		0.0001	N.D.	0.0007	
Lead (Pb)		0.01	N.D.	0.07	
Conclusion		/	Conformity	/	





Unit: mg/kg

			Test Result(s)	Unit: mg/kg
Test Item(s)	Test condition/ Equipment	MDL	3 rd extractives	Limit
	Equipment		1-15	
Barium (Ba)		0.1	N.D.	1.2
Copper (Cu)		0.1	N.D.	4
Iron (Fe)		0.1	N.D.	40
Tin (Sn)		0.1	N.D.	100
Chromium (Cr)		0.01	0.012	0.25
Manganese (Mn)		0.1	N.D.	1.8
Zinc (Zn)		0.1	N.D.	5
Aluminum (Al)		0.1	N.D.	5
Lithium (Li)		0.01	N.D.	0.048
Beryllium (Be)		0.005	N.D.	0.01
Vanadium (V)	0.5% Citric acid /	0.005	N.D.	0.01
Nickel (Ni)	70°C, 2h ICP-OES	0.01	N.D.	0.14
Cobalt (Co)		0.01	N.D.	0.02
Arsenic (As)		0.002	N.D.	0.002
Molybdenum (Mo)		0.01	N.D.	0.12
Silver (Ag)		0.01	N.D.	0.08
Cadmium (Cd)		0.002	N.D.	0.005
Antimony (Sb)		0.01	N.D.	0.04
Mercury (Hg)		0.002	N.D.	0.003
Thallium (Tl)		0.0001	N.D.	0.0001
Lead (Pb)		0.01	N.D.	0.01
Conclusion	1	/	Conformity	/

Note: -MDL=method detection limit

-N.D.=not detected (less than method detection limit)



Page 12of 19

6.1 Test Result(s) of Total Pentachlorophenol (PCP) content

Unit: mg/kg

Test Item	Test Method/ Equipment	MDL	Test Result(s) 1-12	Limit
Pentachlorophenol (PCP)	LFGB BVL § 64 B 82.02.8 GC-MS	0.05	N.D.	0.15
Conclusion	/	/	Conformity	/

Note: -MDL=method detection limit

-N.D.=not detected (less than method detection limit)

6.2 Special Migration of Formaldehyde

Unit: mg/kg

			,	Test Result(s)		
Test Item(s)	Test condition/	MDL		1-12		Limit
rest rem(s)	Equipment	MIDL	1 st	2 nd	3 rd	
			extractives	extractives	extractives	
Special Migration of Formaldehyde	3% Acetic acid 70°C, 2h/ UV-Vis	5	9.760	8.420	8.399	15
Conclusion	/	/		Conformity		/

Note: -MDL=method detection limit

-N.D.=not detected (less than method detection limit)



Page 13of 19

7.1 Test Result(s) of Overall Migration

Unit: mg/dm²

Test Solution	Test Solution Test condition			1-16			
T est solution	1 000 00	MDL	1 st extractives	2 nd extractives	3 rd extractives	Limit	
3% Acetic acid	70°C, 2h	5	N.D.	N.D.	N.D.	10	
50% Ethanol		5	N.D.	N.D.	N.D.	10	
Conclusion	/	/		Conformity		/	

Note: -MDL=method detection limit

-N.D.=not detected (less than method detection limit)


7.2 Test Result(s) of Bisphenol A(BPA) content

Unit: mg/kg

Test Item(s)	Test Method/ Equipment	MDL	Result(s) 1-16	Limit
Bisphenol A(BPA) content	EPA 3540C:1996 EPA 8321B:2007 LC-MS-MS	1	N.D.	Absent
Conclusion	/	/	Conformity	/

Note: -MDL=method detection limit


-N.D.=not detected (less than method detection limit)





7.3 Specific migration of Primary aromatic amines

Test Item(s)	MDL (mg/kg)	Limit (mg/kg)
4-Aminobiphenyl	0.002	N.D.
Benzidine	0.002	N.D.
4-Chloro-o-Toluidine	0.002	N.D.
2-Naphthylamine	0.002	N.D.
4-amino-2',3-dimethylazobenzene	0.002	N.D.
5-Nitro-o-toluidine	0.002	N.D.
4-Chloroaniline	0.002	N.D.
4-Methoxy-m-phenylenediamine	0.002	N.D.
4,4'-Diaminodiphenylmethane	0.002	N.D.
3,3'-Dichlorobenzidine	0.002	N.D.
3,3'-Dimethoxybenzidine	0.002	N.D.
3,3'-Dimethybenzidine	0.002	N.D.
4,4'-Methylenedi-o-toluidine	0.002	N.D.
6-methoxy-m-toluidine	0.002	N.D.
4,4'-methylenebis[2-chloroaniline]	0.002	N.D.
4,4'-Oxydianiline	0.002	N.D.
4,4'-Thiodianiline	0.002	N.D.
2-Aminotoluene	0.002	N.D.
4-methyl-m-phenylenediamine	0.002	N.D.
2,4,5-Trimethylaniline	0.002	N.D.
2-Methoxyaniline	0.002	N.D.
4-Aminoazobenzene	0.002	N.D.
1,3 phenylenediamine	0.002	N.D.
Total of other primary aromatic amines	0.01	0.01






	Test Result(mg/kg)	
Test Item(s)	1-16	
	3% Acetic acid 70°C, 2h	
4-Aminobiphenyl	N.D.	
Benzidine	N.D.	
4-Chloro-o-Toluidine	N.D.	
2-Naphthylamine	N.D.	
4-amino-2',3-dimethylazobenzene	N.D.	
5-Nitro-o-toluidine	N.D.	
4-Chloroaniline	N.D.	
4-Methoxy-m-phenylenediamine	N.D.	
4,4'-Diaminodiphenylmethane	N.D.	
3,3'-Dichlorobenzidine	N.D.	
3,3'-Dimethoxybenzidine	N.D.	
3,3'-Dimethybenzidine	N.D.	
4,4'-Methylenedi-o-toluidine	N.D.	
6-methoxy-m-toluidine	N.D.	
4,4'-methylenebis[2-chloroaniline]	N.D.	
4,4'-Oxydianiline	N.D.	
4,4'-Thiodianiline	N.D.	
2-Aminotoluene	N.D.	
4-methyl-m-phenylenediamine	N.D.	
2,4,5-Trimethylaniline	N.D.	
2-Methoxyaniline	N.D.	
4-Aminoazobenzene	N.D.	
1,3 phenylenediamine	N.D.	
Total of other primary aromatic amines	N.D.	
Conclusion	Conformity	

Note: -MDL=method detection limit

-N.D.=not detected (less than method detection limit)





7.4 Test Result(s) of Migration of Heavy metals

Test Item(s)	Test condition/	MDL		Test Result(s) (mg/kg) 1-16)	Limit
2 000 200111(0)	Equipment	(mg/kg)	1 st extractives	2 nd extractives	3 rd extractives	(mg/kg)
Barium (Ba)		0.1	N.D.	N.D.	N.D.	1
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	70°C, 2h/ ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/		Conformity		/
Ammonium (NH ₄ ⁺)		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	0.064	N.D.	N.D.	/
Magnesium (Mg)		0.01	N.D.	N.D.	N.D.	/
Potassium (K)		0.01	0.030	N.D.	N.D.	/
Sodium (Na)		0.01	0.092	N.D.	N.D.	/

Note: -MDL=method detection limit

-N.D.=not detected (less than method detection limit)



Report No.: AGC05443220540-001 Page 17of 19

8. Test Result(s) of Leachable Lead and Cadmium (NO.84/500/EEC and 2005/31/EC)

Unit: mg/L

T. (C. P.)			Result(s)	
Test Item(s)	Test Condition/ Equipment	MDL	4% Acetic acid	Limit
			1-11	
Lead (Pb)	EN 1388-2:1996 22°C, 24h/ ICP-OES	0.1	N.D.	4.0
Cadmium (Cd)		0.01	N.D.	0.3
Conclusion		/	Conformity	/

Unit: mg/L

Test Item(s)	Test Condition/ Equipment	MDL	Result(s)	Limit
			4% Acetic acid	
			1-17	
Lead (Pb)	EN 1388-2:1996 22°C, 24h/ ICP-OES	0.1	N.D.	0.8
Cadmium (Cd)		0.01	N.D.	0.07
Conclusion		/	Conformity	/

Note: -MDL=method detection limit

-N.D.=not detected (less than method detection limit)

10. Test Result of mechanical dishwashing safe test:

Sample: Coffee grinder set

Test method: BS EN 12875-1:2005


Washing temperature: 60°C

Number of cycle: Ten (10) cycles

Number of tested sample: 1(One) pc(s). Number of control sample: 1(One) pc(s).

For all tested glass articles:

- 1) No visible change of color and gloss was found on the tested samples after wash.
- 2) No visible deposit or iridescent layer was found on the tested samples after wash.
- 3) No cloud texture was found on the tested samples after wash.
- 4) No decoration was detached after wash.







Test Point Description

Test point	Test point description		
1	Coffee grinder set		
1-1	Glass mug(hopper)+Glass mug(grinder)		
1-2	Wooden cover(hopper)+Wood handle(hopper)+Wooden handle(grinder)		
1-3	Silver metal shaft(hopper)+Silver metal shaft(grinder)		
1-4	Metal nut(hopper)+Metal spring(hopper)		
1-5	Metal leakage net(hopper)+Round metal sheet with 7 holes(hopper)+Round metal sheet with 3 holes(hopper)		
1-6	Metal handle(grinder)+Metal cover(grinder)+Metal shell(grinder)		
1-7	Black plastic cover(grinder)+Black plastic inner shell(grinder)		
1-8	Black coating(grinder)		
1-9	White ceramic swivel(grinder)+White ceramic internal teeth(grinder)		
1-10	Silver metal adjusting ring(grinder)+Silver metal nut(grinder)		
1-11	Glass mug(hopper)		
1-12	Wooden cover(hopper)		
1-13	Silver metal shaft(hopper)		
1-14	Metal nut(hopper)		
1-15	Metal leakage net(hopper)		
1-16	Black plastic inner shell(grinder)		
1-17	White ceramic swivel(grinder)		

Test Flow Chart


1. For Phthalates







The photo of the sample







AGC05443220540-001

AGC authenticate the photo only on original report

*** End of Report ***



Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
- 7.Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.