

Test Report

Report No. : AGC05443240723-001

SAMPLE NAME : Double wall storage jar

MODEL NAME : MO6747

APPLICANT: MID OCEAN BRANDS B.V.

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE : Aug. 14, 2024

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Applicant : MID OCEAN BRANDS B.V.

Address : 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.

Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : Double wall storage jar

Model : MO6747

Vendor code : 114276

Country of Origin : CHINA

Country of Destination : EUROPE

Sample receiving state : Normal

Sample Received Date : Jul. 22, 2024

Testing Period : Jul. 22, 2024 to Aug. 14, 2024

Test Requested : Selected test(s) as requested by client.

Approved by: Len

Suhongliang, Leon

Report No.: AGC05443240723-001

Technical Director



Report No.: AGC05443240723-001 Conclusion Pass Mechanical dishwashing safe test Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63 Pass - Lead(Pb) Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23 **Pass** -Cadmium(Cd) Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52 **Pass** - Phthalates Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50 **Pass** - Polycyclic-aromatic Hydrocarbons (PAHs) Content Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 77 **Pass** - Formaldehyde Release Regulation (EU) 2019/1021 on persistent organic pollutants (POPs) Pass - Pentachlorophenol (PCP) Content Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5 - Overall migration Pass - Specific migration of Bisphenol A(BPA) Pass - Bisphenol A(BPA) content **Pass** - Specific migration of Heavy metals **Pass** -Specific migration of Primary aromatic amines **Pass** DM-4B-COM-003-v01 for: - Volatile Organic Matter Pass - Peroxide value Pass - Specific Migration of Organotin (measured as Tin) Pass

Regulation (EC) No 1935/2004, LFGB section 30 and Technical Guide on Metals and alloys used in food contact materials of Council of Europe Resolution CM/Res (2013)9.

Pass

- Specific migration of heavy metal from metal and alloys used in contact with food



Report Revise Record

Report No.:	AGC05443240723-001
-------------	--------------------

Report Version	Issued Date	Valid Version	Notes
/	Aug. 14, 2024	Valid	Initial release



The photo of the sample

The photo of AGC05443240723-001 is for use only with the original report.

Test Point Description

Test point	Test point description
1-1	Cork base
1-2	Black coating
1-3	Black plastic inner cover
1-4	Transparent silicone ring
1-5	Metal spoon
1-6	Inside metal body
1-7	Outer metal body



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001% Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019/CNAS-GL015:2022.

Mechanical dishwashing safe test

Test Sample:1-5

Test Result of mechanical dishwashing safe test:

Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS"

Sample No.:/

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: 1 pc(s). Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

- Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Tost Itam(s)	Unit Limit	MDL	Test Result(s)			
Test Item(s)	UIII	Limit	MDL	1-1	1-2	1-3
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.
Conclusion			Conformity	Conformity	Conformity	

Tost Itam(s)	Unit Limit	MDL	Test Result(s)			
Test Item(s)	Unit	Limit	MDL	1-4	1-5	1-6
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.
Conclusion			Conformity	Conformity	Conformity	

Test Item(s)	Unit	Limit	MDL	Test Result(s) 1-7
Lead(Pb)	mg/kg	500	10	N.D.
Со	Conformity			



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

-Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Tost Itam(s)	Linit	Unit Limit	MDL	Test Result(s)		
Test Item(s)	Ullit	Limit	MIDL	1-2	1-3	1-4
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.	N.D.
Conclusion			Conformity	Conformity	Conformity	

Report No.: AGC05443240723-001

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

- Phthalates Content

Test Methods and Equipment: IEC 62321-8:2017; GC-MS

T4 I4(-)	I I :4	Unit Limit MDL		Т	Test Result(s)		
Test Item(s)	Unit	Limit	MDL	1-2	1-3	1-4	
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.	N.D.	N.D.	
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.	N.D.	N.D.	
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.	N.D.	N.D.	
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.	N.D.	N.D.	
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.	N.D.	N.D.	
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.	N.D.	N.D.	
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.	N.D.	N.D.	
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	N.D.	N.D.	
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.	N.D.	
Con	Conclusion				Conformity	Conformity	

Limit requirements of Phthalates

Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	The sum of DINP+DIDP+DNOP is less than 0.1%



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s)		
rest item(s)	Unit	Lillit	MIDL	1-2	1-3	1-4
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Con	clusion			Conformity	Conformity	Conformity

Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	≤ 1	≤ 1	≤ 0.5
Benzo[e]pyrene(BeP)	192-97-2	/	≤ 1	≤ 0.5
Benzo[a]anthracene(BaA)	56-55-3	/	≤ 1	≤ 0.5
Benzo[b]fluoranthene(BbF)	205-99-2	/	≤ 1	≤ 0.5
Benzo[j]fluoranthene(BjFA)	205-82-3	/	≤ 1	≤ 0.5
Benzo[k]fluoranthene(BkF)	207-08-9	/	≤ 1	≤ 0.5
Chrysene(CHR)	218-01-9	/	≤ 1	≤ 0.5
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	≤ 1	≤ 0.5
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤ 10	1	/



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 77

- Formaldehyde Release

Test Methods and Equipment: EN 717-1:2004; UV-Vis

Test Item(s)	Unit	Limit	MDL	Test Result(s)
Test tieni(s)	Onit	Liiiit	MDL	1-1
Formaldehyde Release	mg/m³	0.062	0.006	N.D. (240h)
Со	Conformity			

Report No.: AGC05443240723-001

Regulation (EU) 2019/1021 on persistent organic pollutants (POPs)

- Pentachlorophenol (PCP) Content

Test Methods and Equipment: EPA 3550C:2007 & EPA 8270E:2018; GC-MS

Test Item(s)	Unit Limit	MDL	Test Result(s)	
Test Item(s)	Onit	LIIIII	MDL	1-1
Pentachlorophenol (PCP)	mg/kg	5	5	N.D.
Conclusion			Conformity	

- Overall Migration

O , 01 4421 1						
Test point		O	Conclusion			
		3% Acetic acid, 70°C,2h				
	1 st migration	N.D.	N.D.	4.2		
1-3	2 nd migration	N.D.	N.D.	N.D.	Conformity	
	3 rd migration	N.D.	N.D.	N.D.		
	Limit	10	10	10	/	
	MDL	3	3	3	/	

		Test Result		
Test point Overall migration/ (mg/kg)				Conclusion
	3% Acetic acid, 70°C,2h	50% Ethanol, 70°C,2h	Olive oil, 70°C,2h	
1-4	N.D.	N.D.	N.D.	Conformity
Limit	60	60	60	/
MDL	5	5	5	/



- Specific migration of Bisphenol A(BPA)

Report No.: AGC05443240723-0	001

	Test Result	
Test point	Specific migration of Bisphenol A(BPA)/ (mg/kg)	Conclusion
	3% Acetic acid, 70°C,2h	
1-4	N.D.	Conformity
Limit(Client's Requirement)	0.05	/
MDL	0.02	/


-Bisphenol A(BPA) content

Test Item	Bisphenol A (BPA)
Limit(Client's Requirement) (mg/kg)	Absent
MDL(mg/kg)	0.1
Test Method/Instrument	EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS

Tost maint	Test Result (mg/kg)	Complusion
Test point	Bisphenol A (BPA)	Conclusion
1-4	N.D.	Conformity

Test Item	Bisphenol A (BPA)		
Limit(mg/kg)	Absent		
MDL (mg/kg)	0.1		
Test Method/Instrument	EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS		

Test point	Test Result (mg/kg)	Conclusion
Test point	Bisphenol A (BPA)	Conclusion
1-3	N.D.	Conformity






-Specific migration of Heavy metals

			Test Result(s) (mg/kg) 1-3			Limit (mg/kg)
Test Item(s)	Test condition/ Equipment	MDL (mg/kg)				
	Equipment	(mg/kg)	1 st migration	2 nd migration	3 rd migration	- (mg/kg)
Barium (Ba)		0.1	N.D.	N.D.	N.D.	1
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	70°C, 2h/ ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/		Conformity		/
Ammonium (NH ₄ ⁺)		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	23.557	11.701	7.255	/
Magnesium (Mg)		0.01	1.253	0.488	0.302	/
Potassium (K)		0.01	0.018	N.D.	N.D.	/
Sodium (Na)		0.01	0.034	0.032	0.027	/



- Specific migration of Primary aromatic amines

Test Item(s)	MDL (mg/kg)	Limit (mg/kg)
4-Aminobiphenyl	0.002	N.D.
Benzidine	0.002	N.D.
4-Chloro-o-Toluidine	0.002	N.D.
2-Naphthylamine	0.002	N.D.
4-amino-2',3-dimethylazobenzene	0.002	N.D.
5-Nitro-o-toluidine	0.002	N.D.
4-Chloroaniline	0.002	N.D.
4-Methoxy-m-phenylenediamine	0.002	N.D.
4,4'-Diaminodiphenylmethane	0.002	N.D.
3,3'-Dichlorobenzidine	0.002	N.D.
3,3'-Dimethoxybenzidine	0.002	N.D.
3,3'-Dimethybenzidine	0.002	N.D.
4,4'-Methylenedi-o-toluidine	0.002	N.D.
6-methoxy-m-toluidine	0.002	N.D.
4,4'-methylenebis[2-chloroaniline]	0.002	N.D.
4,4'-Oxydianiline	0.002	N.D.
4,4'-Thiodianiline	0.002	N.D.
2-Aminotoluene	0.002	N.D.
4-methyl-m-phenylenediamine	0.002	N.D.
2,4,5-Trimethylaniline	0.002	N.D.
2-Methoxyaniline	0.002	N.D.
4-Aminoazobenzene	0.002	N.D.
1,3 phenylenediamine	0.002	N.D.
Total of other primary aromatic amines	0.01	0.01





	Test Result (mg/kg)			
		1-3		
Test Item(s)	1 st migration	2 nd migration	3 rd migration	
		3% Acetic acid 70°C,2h		
4-Aminobiphenyl	N.D.	N.D.	N.D.	
Benzidine	N.D.	N.D.	N.D.	
4-Chloro-o-Toluidine	N.D.	N.D.	N.D.	
2-Naphthylamine	N.D.	N.D.	N.D.	
4-amino-2',3-dimethylazobenzene	N.D.	N.D.	N.D.	
5-Nitro-o-toluidine	N.D.	N.D.	N.D.	
4-Chloroaniline	N.D.	N.D.	N.D.	
4-Methoxy-m-phenylenediamine	N.D.	N.D.	N.D.	
4,4'-Diaminodiphenylmethane	N.D.	N.D.	N.D.	
3,3'-Dichlorobenzidine	N.D.	N.D.	N.D.	
3,3'-Dimethoxybenzidine	N.D.	N.D.	N.D.	
3,3'-Dimethybenzidine	N.D.	N.D.	N.D.	
4,4'-Methylenedi-o-toluidine	N.D.	N.D.	N.D.	
6-methoxy-m-toluidine	N.D.	N.D.	N.D.	
4,4'-methylenebis[2-chloroaniline]	N.D.	N.D.	N.D.	
4,4'-Oxydianiline	N.D.	N.D.	N.D.	
4,4'-Thiodianiline	N.D.	N.D.	N.D.	
2-Aminotoluene	N.D.	N.D.	N.D.	
4-methyl-m-phenylenediamine	N.D.	N.D.	N.D.	
2,4,5-Trimethylaniline	N.D.	N.D.	N.D.	
2-Methoxyaniline	N.D.	N.D.	N.D.	
4-Aminoazobenzene	N.D.	N.D.	N.D.	
1,3 phenylenediamine	N.D.	N.D.	N.D.	
Total of other primary aromatic amines	N.D.	N.D.	N.D.	
Conclusion	Conformity			



- Volatile Organic Matter

Unit: %

Test item(s)	Test Condition	MDL	Result(s)	Limit
rest item(s)	Test Condition	WIDL	1-4	
Volatile Organic Matter		0.1	0.43	0.5
Conclusion	200°C, 4h	/	Conformity	/

- Peroxide value

Unit: %

Test Item	MDL	Result(s)	Limit
Peroxide value	0.2	1-4 N.D.	Absent
Conclusion	/	Conformity	/

- Specific Migration of Organotin (measured as Tin)

	Test Result	
Test point	Specific Migration of Organotin (measured as Tin)/ (mg/kg)	Conclusion
	3% Acetic acid, 70°C,2h	
1-4	N.D.	Conformity
Limit	0.1	/
MDL	0.01	/



- Specific migration of heavy metal from metal and alloys used in contact with food

Test Method: With reference to EDQM Technical Guide on Metals and alloys used in food contact materials 2013.

Unit: mg/kg

	Test condition/ Equipment		Test Result(s)	Unit: m
Test Item(s)		MDL	1 st + 2 nd extractives 1-5	
Copper (Cu)		0.1	N.D.	28
Iron (Fe)		0.1	0.450	280
Tin (Sn)		0.1	N.D.	700
Chromium (Cr)		0.01	0.011	1.75
Manganese (Mn)		0.1	N.D.	12.6
Zinc (Zn)		0.1	N.D.	35
Aluminium (Al)		0.1	N.D.	35
Lithium (Li)		0.01	N.D.	0.336
Beryllium (Be)		0.005	N.D.	0.07
Vanadium (V)		0.005	N.D.	0.07
Nickel (Ni)	0.5% Citric acid,	0.01	N.D.	0.98
Cobalt (Co)	− 70°C, 2h ICP-OES	0.01	N.D.	0.14
Arsenic (As)		0.002	N.D.	0.014
Molybdenum (Mo)		0.01	N.D.	0.84
Silver (Ag)		0.01	N.D.	0.56
Cadmium (Cd)		0.002	N.D.	0.035
Antimony (Sb)		0.01	N.D.	0.28
Mercury (Hg)		0.002	N.D.	0.021
Thallium (Tl)		0.0001	N.D.	0.0007
Lead (Pb)		0.01	N.D.	0.07
Conclusion		/	Conformity	/
Magnesium (Mg)		0.01	0.022	/
Titanium (Ti)		0.01	N.D.	/



Unit: mg/kg

			Test Result(s)	Cint. Hig/s
Test Item(s)	Test condition/ Equipment	MDL	3 rd extractives	Limit
	Equipment		1-5	
Barium (Ba)		0.1	N.D.	1.2
Copper (Cu)		0.1	N.D.	4
Iron (Fe)		0.1	N.D.	40
Tin (Sn)		0.1	N.D.	100
Chromium (Cr)		0.01	N.D.	0.25
Manganese (Mn)		0.1	N.D.	1.8
Zinc (Zn)		0.1	N.D.	5
Aluminium (Al)		0.1	N.D.	5
Lithium (Li)		0.01	N.D.	0.048
Beryllium (Be)		0.005	N.D.	0.01
Vanadium (V)		0.005	N.D.	0.01
Nickel (Ni)	0.5% Citric acid,	0.01	N.D.	0.14
Cobalt (Co)	70°C, 2h ICP-OES	0.01	N.D.	0.02
Arsenic (As)		0.002	N.D.	0.002
Molybdenum (Mo)		0.01	N.D.	0.12
Silver (Ag)		0.01	N.D.	0.08
Cadmium (Cd)		0.002	N.D.	0.005
Antimony (Sb)		0.01	N.D.	0.04
Mercury (Hg)		0.002	N.D.	0.003
Thallium (Tl)		0.0001	N.D.	0.0001
Lead (Pb)		0.01	N.D.	0.01
Conclusion		/	Conformity	/
Magnesium (Mg)		0.01	N.D.	/
Titanium (Ti)		0.01	N.D.	/




Unit: mg/kg

Test Item(s)	Test condition/ Equipment		Test Result(s)	Limit
		MDL	1st + 2nd extractives 1-6	
Copper (Cu)	1	0.1	N.D.	28
Iron (Fe)		0.1	N.D.	280
Tin (Sn)		0.1	N.D.	700
Chromium (Cr)		0.01	N.D.	1.75
Manganese (Mn)		0.1	N.D.	12.6
Zinc (Zn)		0.1	N.D.	35
Aluminium (Al)		0.1	N.D.	35
Lithium (Li)		0.01	N.D.	0.336
Beryllium (Be)		0.005	N.D.	0.07
Vanadium (V)		0.005	N.D.	0.07
Nickel (Ni)	0.5% Citric acid,	0.01	N.D.	0.98
Cobalt (Co)	70°C, 2h ICP-OES	0.01	N.D.	0.14
Arsenic (As)		0.002	N.D.	0.014
Molybdenum (Mo)		0.01	N.D.	0.84
Silver (Ag)		0.01	N.D.	0.56
Cadmium (Cd)		0.002	N.D.	0.035
Antimony (Sb)		0.01	N.D.	0.28
Mercury (Hg)		0.002	N.D.	0.021
Thallium (Tl)		0.0001	N.D.	0.0007
Lead (Pb)		0.01	N.D.	0.07
Conclusion		/	Conformity	/
Magnesium (Mg)		0.01	0.012	/
Titanium (Ti)		0.01	N.D.	/




Unit: mg/kg

			Test Result(s)	
Test Item(s)	Test condition/ Equipment	MDL	3 rd extractives	Limit
	Equipment		1-6	
Barium (Ba)		0.1	N.D.	1.2
Copper (Cu)		0.1	N.D.	4
Iron (Fe)		0.1	N.D.	40
Tin (Sn)		0.1	N.D.	100
Chromium (Cr)		0.01	N.D.	0.25
Manganese (Mn)		0.1	N.D.	1.8
Zinc (Zn)		0.1	N.D.	5
Aluminium (Al)		0.1	N.D.	5
Lithium (Li)		0.01	N.D.	0.048
Beryllium (Be)		0.005	N.D.	0.01
Vanadium (V)		0.005	N.D.	0.01
Nickel (Ni)	0.5% Citric acid,	0.01	N.D.	0.14
Cobalt (Co)	70°C, 2h ICP-OES	0.01	N.D.	0.02
Arsenic (As)		0.002	N.D.	0.002
Molybdenum (Mo)		0.01	N.D.	0.12
Silver (Ag)		0.01	N.D.	0.08
Cadmium (Cd)		0.002	N.D.	0.005
Antimony (Sb)		0.01	N.D.	0.04
Mercury (Hg)		0.002	N.D.	0.003
Thallium (Tl)		0.0001	N.D.	0.0001
Lead (Pb)		0.01	N.D.	0.01
Conclusion		/	Conformity	/
Magnesium (Mg)		0.01	N.D.	/
Titanium (Ti)		0.01	N.D.	/







Test Flow Chart of Heavy Metal Content




Test Flow Chart of Phthalates









Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)









Test Flow Chart of Formaldehyde Release







Test Flow Chart of Pentachlorophenol (PCP)





Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***