

# **Test Report**

Report No. : AGC05443240105-001

- **SAMPLE NAME** : 500 ml PCTG bottle
- MODEL NAME : MO8308
- APPLICANT : MID OCEAN BRANDS B.V
- **STANDARD(S)** : Please refer to the following page(s).
- DATE OF ISSUE : Jan. 18, 2024









#### : MID OCEAN BRANDS B.V

: 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.

: 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China

#### Report on the submitted sample(s) said to be:

Sample Name	:	500 ml PCTG bottle
Model	:	MO8308
Vendor code	:	113086
Country of Origin	:	CHINA
Country of Destination	:	EUROPE
Sample Received Date	:	Jan. 09, 2024
Testing Period	:	Jan. 09, 2024 to Jan. 12, 2024
Test Requested	:	Selected test(s) as requested by client.

Approved by:

Suhongliang, Leon

Technical Director

	Report No.: AGC05443240105-001
Test Requested:	Conclusion
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63 - Lead(Pb) Content	Pass
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23 -Cadmium(Cd) Content	Pass
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52 - Phthalates Content	Pass
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50 - Polycyclic-aromatic Hydrocarbons (PAHs) Content	Pass
German Food, Articles of Daily Use and Feed Code of September, 2005(LFGB), and BfR recommendation IX, Regulation 1935/2004/EC, Regulation (EU) No 10 amendment Regulation (EU) 2020/1245	
- Overall migration	Pass
- Bisphenol A(BPA) content	Pass
- Specific migration of Bisphenol A(BPA)	Pass
-Specific migration of Acrylonitrile	Pass
- Specific migration of Heavy metals	Pass
-Specific migration of Primary aromatic amines	Pass
DM-4B-COM-003-v01 for:	
-Volatile Organic Matter	Pass
- Peroxide value	Pass
- Specific Migration of Organotin (measured as Tin)	Pass

R



		Report Revise Record	
Report Version	Issued Date	Valid Version	Notes
/	Jan. 18, 2024	Valid	Initial release



# The photo of the sample



The photo of AGC05443240105-001 is for use only with the original report.

Test point	Test point description
1-1	Black plastic cover(PP)
1-2	Transparent bottle body(PCTG)+Transparent plastic straws(PE)+Transparent plastic nozzle(AS)
1-3	Transparent silicone ring+Transparent silicone plug
1-4	Transparent bottle body(PCTG)
1-5	Transparent plastic straws(PE)
1-6	Transparent plastic nozzle(AS)
1-7	Transparent silicone ring

# **Test Point Description**



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001%

#### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

#### - Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Unit	Limit	MDL	]	Cest Result(s)	
Test Item(s)	Unit	Liiiit	MDL	1-1	1-2	1-3
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.
Conclusion			Conformity	Conformity	Conformity	

#### Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-2,1-3

#### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

#### -Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Unit	Limit	Limit MDL Test Result(s)			
Test Item(s)	Unit	Liiiit	MDL	1-1	1-2	1-3
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.	N.D.
Conclusion			Conformity	Conformity	Conformity	

#### Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-2,1-3



#### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

#### - Phthalates Content

Test Methods and Equipment: IEC 62321-8:2017; GC-MS

Test Item(s)	Unit Limit		MDI	Test Result(s)		
Test Item(s)	Unit	Limit	MDL	1-1	1-2	1-3
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.	N.D.	N.D.
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.	N.D.	N.D.
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.	N.D.	N.D.
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.	N.D.	N.D.
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.	N.D.	N.D.
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.	N.D.	N.D.
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.	N.D.	N.D.
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	N.D.	N.D.
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.	N.D.
Con	clusion			Conformity	Conformity	Conformity

#### Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-2,1-3

#### Limit requirements of Phthalates

Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	The sum of DINP+DIDP+DNOP is less than 0.1%



### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

#### - Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

Test Item(s)	Unit	Limit	Limit MDL	Test Result(s)		
Test Item(s)	Unit	LIIIII	MDL	1-1	1-2	1-3
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Con	Conclusion				Conformity	Conformity

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-2,1-3

I imit requiremente	of Polyayalia ar	amatia Undragarh	$\mathbf{D} \mathbf{A} \mathbf{U}_{c}$ (DA $\mathbf{U}_{c}$ ) (I	Init: ma/ka)
Limit requirements	of Folycychic-al	omatic Hydrocarbe	ліs (ГАНS) ((	Jint. mg/kg)

Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	≤1	<i>≤</i> 1	≤ 0.5
Benzo[e]pyrene(BeP)	192-97-2	/	$\leq 1$	$\leq 0.5$
Benzo[a]anthracene(BaA)	56-55-3	/	<i>≤</i> 1	≤ 0.5
Benzo[b]fluoranthene(BbF)	205-99-2	/	<i>≤</i> 1	≤ 0.5
Benzo[j]fluoranthene(BjFA)	205-82-3	/	$\leq 1$	≤ 0.5
Benzo[k]fluoranthene(BkF)	207-08-9	/	$\leq 1$	≤ 0.5
Chrysene(CHR)	218-01-9	/	$\leq 1$	≤ 0.5
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	$\leq 1$	≤ 0.5
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤ 10	/	/



		Test r		
	Test point	Overall migrat	ion/ (mg/dm <sup>2</sup> )	Conclusion
		3% Acetic acid, 70°C,2h	50% Ethanol, 70°C,2h	
	1 <sup>st</sup> migration	N.D.	N.D.	
1-1	2 <sup>nd</sup> migration	N.D.	N.D.	Conformity
	3 <sup>rd</sup> migration	N.D.	N.D.	
	1 <sup>st</sup> migration	N.D.	N.D.	
1-4	2 <sup>nd</sup> migration	N.D.	N.D.	Conformity
	3 <sup>rd</sup> migration	N.D.	N.D.	
	1 <sup>st</sup> migration	N.D.	N.D.	
1-5	2 <sup>nd</sup> migration	N.D.	N.D.	Conformity
	3 <sup>rd</sup> migration	N.D.	N.D.	
	1 <sup>st</sup> migration	N.D.	N.D.	
1-6	2 <sup>nd</sup> migration	N.D.	N.D.	Conformity
	3 <sup>rd</sup> migration	N.D.	N.D.	
	Limit	10	10	/
	MDL	5	5	/

	Test		
Test point	Overall migra	Conclusion	
	3% Acetic acid, 70°C,2h	50% Ethanol, 70°C,2h	
1-7	N.D.	N.D.	Conformity
Limit	10	10	/
MDL	5	5	/



Displicher (BIII) content		
Test Item	Bisphenol A (BPA)	
Limit(Client's Requirement) (mg/kg)	Absent	
MDL(mg/kg)	0.1	
Test Method/ Instrument	EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS	

Test point	Test Result (mg/kg)	Conclusion
Test point	Bisphenol A (BPA)	Conclusion
1-7	N.D.	Conformity

Test Item	Bisphenol A (BPA)	
Limit(mg/kg)	Absent	
MDL (mg/kg)	0.1	
Test Method/ Instrument	EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS	

Test point	Test Result (mg/kg)	Conclusion
	Bisphenol A (BPA)	Conclusion
1-1	N.D.	Conformity
1-4	N.D.	Conformity
1-5	N.D.	Conformity
1-6	N.D.	Conformity



	Test Result	
Test point	Specific migration of Bisphenol A(BPA)/ (mg/kg)	Conclusion
	3% Acetic acid,70°C,2h	
1-7	N.D.	Conformity
Limit (Client's Requirement)	0.05	/
MDL	0.02	/

Test point		Test result	
		Specific migration of Bisphenol A(BPA)/ (mg/kg)	Conclusion
		3% Acetic acid,70°C,2h	
	1 <sup>st</sup> migration	N.D.	
1-4	2 <sup>nd</sup> migration	N.D.	Conformity
	3 <sup>rd</sup> migration	N.D.	
	Limit	0.05	/
MDL		0.02	/

#### --Specific migration of Acrylonitrile


		Test Result		
		Specific migration of Acrylonitrile/ (mg/kg)	Conclusion	
	3% Acetic acid,70°C,2h		]	
	1 <sup>st</sup> migration	N.D.		
1-6	2 <sup>nd</sup> migration	N.D.	Conformity	
	3 <sup>rd</sup> migration	N.D.		
	Limit Absent		/	
	MDL	0.01	/	



Test Item(s)	MDL (mg/kg)	Limit (mg/kg)
4-Aminobiphenyl	0.002	N.D.
Benzidine	0.002	N.D.
4-Chloro-o-Toluidine	0.002	N.D.
2-Naphthylamine	0.002	N.D.
4-amino-2',3-dimethylazobenzene	0.002	N.D.
5-Nitro-o-toluidine	0.002	N.D.
4-Chloroaniline	0.002	N.D.
4-Methoxy-m-phenylenediamine	0.002	N.D.
4,4'-Diaminodiphenylmethane	0.002	N.D.
3,3'-Dichlorobenzidine	0.002	N.D.
3,3'-Dimethoxybenzidine	0.002	N.D.
3,3'-Dimethybenzidine	0.002	N.D.
4,4'-Methylenedi-o-toluidine	0.002	N.D.
6-methoxy-m-toluidine	0.002	N.D.
4,4'-methylenebis[2-chloroaniline]	0.002	N.D.
4,4'-Oxydianiline	0.002	N.D.
4,4'-Thiodianiline	0.002	N.D.
2-Aminotoluene	0.002	N.D.
4-methyl-m-phenylenediamine	0.002	N.D.
2,4,5-Trimethylaniline	0.002	N.D.
2-Methoxyaniline	0.002	N.D.
4-Aminoazobenzene	0.002	N.D.
1,3 phenylenediamine	0.002	N.D.
Total of other primary aromatic amines	0.01	0.01




	Test Result (mg/kg)			
		1-1		
Test Item(s)	1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration	
		3% Acetic acid 70°C, 2h	ingration	
4-Aminobiphenyl	N.D.	N.D.	N.D.	
Benzidine	N.D.	N.D.	N.D.	
4-Chloro-o-Toluidine	N.D.	N.D.	N.D.	
2-Naphthylamine	N.D.	N.D.	N.D.	
4-amino-2',3-dimethylazobenzene	N.D.	N.D.	N.D.	
5-Nitro-o-toluidine	N.D.	N.D.	N.D.	
4-Chloroaniline	N.D.	N.D.	N.D.	
4-Methoxy-m-phenylenediamine	N.D.	N.D.	N.D.	
4,4'-Diaminodiphenylmethane	N.D.	N.D.	N.D.	
3,3'-Dichlorobenzidine	N.D.	N.D.	N.D.	
3,3'-Dimethoxybenzidine	N.D.	N.D.	N.D.	
3,3'-Dimethybenzidine	N.D.	N.D.	N.D.	
4,4'-Methylenedi-o-toluidine	N.D.	N.D.	N.D.	
6-methoxy-m-toluidine	N.D.	N.D.	N.D.	
4,4'-methylenebis[2-chloroaniline]	N.D.	N.D.	N.D.	
4,4'-Oxydianiline	N.D.	N.D.	N.D.	
4,4'-Thiodianiline	N.D.	N.D.	N.D.	
2-Aminotoluene	N.D.	N.D.	N.D.	
4-methyl-m-phenylenediamine	N.D.	N.D.	N.D.	
2,4,5-Trimethylaniline	N.D.	N.D.	N.D.	
2-Methoxyaniline	N.D.	N.D.	N.D.	
4-Aminoazobenzene	N.D.	N.D.	N.D.	
1,3 phenylenediamine	N.D.	N.D.	N.D.	
Total of other primary aromatic amines	N.D.	N.D.	N.D.	
Conclusion	Conformity			






	Test Result (mg/kg)			
		1-4		
Test Item(s)	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	
	migration	migration3% Acetic acid	migration	
		70°C, 2h		
4-Aminobiphenyl	N.D.	N.D.	N.D.	
Benzidine	N.D.	N.D.	N.D.	
4-Chloro-o-Toluidine	N.D.	N.D.	N.D.	
2-Naphthylamine	N.D.	N.D.	N.D.	
4-amino-2',3-dimethylazobenzene	N.D.	N.D.	N.D.	
5-Nitro-o-toluidine	N.D.	N.D.	N.D.	
4-Chloroaniline	N.D.	N.D.	N.D.	
4-Methoxy-m-phenylenediamine	N.D.	N.D.	N.D.	
4,4'-Diaminodiphenylmethane	N.D.	N.D.	N.D.	
3,3'-Dichlorobenzidine	N.D.	N.D.	N.D.	
3,3'-Dimethoxybenzidine	N.D.	N.D.	N.D.	
3,3'-Dimethybenzidine	N.D.	N.D.	N.D.	
4,4'-Methylenedi-o-toluidine	N.D.	N.D.	N.D.	
6-methoxy-m-toluidine	N.D.	N.D.	N.D.	
4,4'-methylenebis[2-chloroaniline]	N.D.	N.D.	N.D.	
4,4'-Oxydianiline	N.D.	N.D.	N.D.	
4,4'-Thiodianiline	N.D.	N.D.	N.D.	
2-Aminotoluene	N.D.	N.D.	N.D.	
4-methyl-m-phenylenediamine	N.D.	N.D.	N.D.	
2,4,5-Trimethylaniline	N.D.	N.D.	N.D.	
2-Methoxyaniline	N.D.	N.D.	N.D.	
4-Aminoazobenzene	N.D.	N.D.	N.D.	
1,3 phenylenediamine	N.D.	N.D.	N.D.	
Total of other primary aromatic amines	N.D.	N.D.	N.D.	
Conclusion	Conformity			





	Test Result (mg/kg)			
		1-5		
Test Item(s)	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	
	migration	migration3% Acetic acid	migration	
		70°C, 2h		
4-Aminobiphenyl	N.D.	N.D.	N.D.	
Benzidine	N.D.	N.D.	N.D.	
4-Chloro-o-Toluidine	N.D.	N.D.	N.D.	
2-Naphthylamine	N.D.	N.D.	N.D.	
4-amino-2',3-dimethylazobenzene	N.D.	N.D.	N.D.	
5-Nitro-o-toluidine	N.D.	N.D.	N.D.	
4-Chloroaniline	N.D.	N.D.	N.D.	
4-Methoxy-m-phenylenediamine	N.D.	N.D.	N.D.	
4,4'-Diaminodiphenylmethane	N.D.	N.D.	N.D.	
3,3'-Dichlorobenzidine	N.D.	N.D.	N.D.	
3,3'-Dimethoxybenzidine	N.D.	N.D.	N.D.	
3,3'-Dimethybenzidine	N.D.	N.D.	N.D.	
4,4'-Methylenedi-o-toluidine	N.D.	N.D.	N.D.	
6-methoxy-m-toluidine	N.D.	N.D.	N.D.	
4,4'-methylenebis[2-chloroaniline]	N.D.	N.D.	N.D.	
4,4'-Oxydianiline	N.D.	N.D.	N.D.	
4,4'-Thiodianiline	N.D.	N.D.	N.D.	
2-Aminotoluene	N.D.	N.D.	N.D.	
4-methyl-m-phenylenediamine	N.D.	N.D.	N.D.	
2,4,5-Trimethylaniline	N.D.	N.D.	N.D.	
2-Methoxyaniline	N.D.	N.D.	N.D.	
4-Aminoazobenzene	N.D.	N.D.	N.D.	
1,3 phenylenediamine	N.D.	N.D.	N.D.	
Total of other primary aromatic amines	N.D.	N.D.	N.D.	
Conclusion	Conformity			





	Test Result (mg/kg)				
		1-6			
Test Item(s)	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>		
	migration	migration3% Acetic acid	migration		
		70°C, 2h			
4-Aminobiphenyl	N.D.	N.D.	N.D.		
Benzidine	N.D.	N.D.	N.D.		
4-Chloro-o-Toluidine	N.D.	N.D.	N.D.		
2-Naphthylamine	N.D.	N.D.	N.D.		
4-amino-2',3-dimethylazobenzene	N.D.	N.D.	N.D.		
5-Nitro-o-toluidine	N.D.	N.D.	N.D.		
4-Chloroaniline	N.D.	N.D.	N.D.		
4-Methoxy-m-phenylenediamine	N.D.	N.D.	N.D.		
4,4'-Diaminodiphenylmethane	N.D.	N.D.	N.D.		
3,3'-Dichlorobenzidine	N.D.	N.D.	N.D.		
3,3'-Dimethoxybenzidine	N.D.	N.D.	N.D.		
3,3'-Dimethybenzidine	N.D.	N.D.	N.D.		
4,4'-Methylenedi-o-toluidine	N.D.	N.D.	N.D.		
6-methoxy-m-toluidine	N.D.	N.D.	N.D.		
4,4'-methylenebis[2-chloroaniline]	N.D.	N.D.	N.D.		
4,4'-Oxydianiline	N.D.	N.D.	N.D.		
4,4'-Thiodianiline	N.D.	N.D.	N.D.		
2-Aminotoluene	N.D.	N.D.	N.D.		
4-methyl-m-phenylenediamine	N.D.	N.D.	N.D.		
2,4,5-Trimethylaniline	N.D.	N.D.	N.D.		
2-Methoxyaniline	N.D.	N.D.	N.D.		
4-Aminoazobenzene	N.D.	N.D.	N.D.		
1,3 phenylenediamine	N.D.	N.D.	N.D.		
Total of other primary aromatic amines	N.D.	N.D.	N.D.		
Conclusion		Conformity			



	Test condition (	MDL			I imit	
Test Item(s)	Test condition/ Equipment	(mg/kg)	1 <sup>st</sup> migration	1-1 2 <sup>nd</sup> migration	3 <sup>rd</sup> migration	Limit (mg/kg)
Barium (Ba)		0.1	N.D.	N.D.	N.D.	1
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)	-	0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/ 70°C, 2h/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/		Conformity	·	/
Ammonium (NH4 <sup>+</sup> )		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	0.319	0.049	0.027	/
Magnesium (Mg)		0.01	0.012	N.D.	N.D.	/
Potassium (K)		0.01	N.D.	N.D.	N.D.	/
Sodium (Na)		0.01	0.048	0.014	N.D.	/



		MDI	Test Result(s) (mg/kg)			
Test Item(s)	Test condition/ Equipment	MDL (mg/kg)		1-4		Limit (mg/kg)
		(	1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration	(ing/kg)
Barium (Ba)		0.1	N.D.	N.D.	N.D.	1
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	- 70°C, 2h/ ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)	-	0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/		Conformity		/
Ammonium (NH <sub>4</sub> <sup>+</sup> )		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	0.102	0.043	0.034	/
Magnesium (Mg)		0.01	N.D.	N.D.	N.D.	/
Potassium (K)		0.01	N.D.	N.D.	N.D.	/
Sodium (Na)		0.01	N.D.	N.D.	N.D.	/



		MDI	Test Result(s) (mg/kg)			Limit
Test Item(s)	Test condition/ Equipment	MDL (mg/kg)		1-5		
	Lquipment	(	1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration	(mg/kg)
Barium (Ba)		0.1	N.D.	N.D.	N.D.	1
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/ 70°C, 2h/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/		Conformity	·	/
Ammonium (NH <sub>4</sub> <sup>+</sup> )		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	0.120	0.054	0.318	/
Magnesium (Mg)		0.01	N.D.	N.D.	N.D.	/
Potassium (K)		0.01	N.D.	N.D.	N.D.	/
Sodium (Na)		0.01	0.014	N.D.	N.D.	/



		MDL (mg/kg)		Test Result(s) (mg/kg)		
Test Item(s)	Test condition/ Equipment		1-6			Limit (mg/kg)
		(1116/146)	1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration	
Barium (Ba)		0.1	N.D.	N.D.	N.D.	1
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/ 70°C, 2h/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/		Conformity		/
Ammonium (NH <sub>4</sub> <sup>+</sup> )		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	0.167	0.427	0.079	/
Magnesium (Mg)		0.01	0.010	N.D.	N.D.	/
Potassium (K)		0.01	N.D.	N.D.	N.D.	/
Sodium (Na)		0.01	0.027	0.011	N.D.	/



Unit: %

Test item(s)	Test Condition	MDL	Result(s) 1-7	Limit
Volatile Organic Matter	200°C, 4h	0.1	N.D.	0.5
Conclusion	200 C, 4n	/	Conformity	/

#### - Peroxide value


Unit: %

Test Item MDL		Result(s)	T imit
		1-7	Limit
Peroxide value	0.2	N.D.	Absent
Conclusion	/	Conformity	/

#### - Specific Migration of Organotin (measured as Tin)

	Test Result	
Test point	Specific Migration of Organotin (measured as Tin)/ (mg/kg)	Conclusion
	3% Acetic acid, 70°C,2h	
1-7	N.D.	Conformity
Limit	0.1	/
MDL	Absent	/







## **Test Flow Chart of Heavy Metal Content**

## **Test Flow Chart of Phthalates**

DATA







# Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)



# Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").

2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.

3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.

4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.

5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.

6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.

8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

\*\*\* End of Report \*\*\*