

Test Report

Report No. : AGC05443230813-001

SAMPLE NAME : Tritan Milk shape 600 ml bottle

MODEL NAME : MO9225

APPLICANT: MID OCEAN BRANDS B.V

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE : Aug. 23, 2023

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Applicant : MID OCEAN BRANDS B.V

Address : 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.

Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Report No.: AGC05443230813-001

Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : Tritan Milk shape 600 ml bottle

Model : MO9225

Vendor code : 114276

Country of Origin : CHINA

Country of Destination : EUROPE

Sample receiving state : Normal

Sample Received Date : Aug. 14, 2023

Testing Period : Aug. 14, 2023 to Aug. 23, 2023

Test Requested : Selected test(s) as requested by client.

Approved by: Mengushua Approved by: Jessie lians

Huangguohua Liangdan, Jessie.Liang

Vice Laboratory Manager Technical Director



Conclusion

Mechanical dishwashing safe test

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23 -Cadmium(Cd) Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63 - Lead(Pb) Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

Pass

- Phthalates Content

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

Pass

- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:

- Overall Migration Pass - Bisphenol A(BPA) content Pass - Specific migration of Bisphenol A(BPA) Pass - Specific migration of Primary aromatic amines Pass - Specific migration of Heavy metals Pass

DM-4B-COM-003-v01 for:

- Volatile Organic Matter Pass - Peroxide value Pass - Specific Migration of Organotin (measured as Tin) Pass



Report Revise Record

Report No.: AGC05443230813-001

Report Version	Issued Date	Valid Version	Notes
/	Aug. 23, 2023	Valid	Initial release



The photo of the sample



The photo of AGC05443230813-001 is for use only with the original report.

Test Point Description

Test point	Test point description
1-1	Red plastic cup body+Black plastic inner cover
1-2	Transparent silicone rubber ring
1-3	Metal cover
1-4	Metal cup bottom
1-5	Red plastic cup body
1-6	Black plastic inner cover



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001%

Mechanical dishwashing safe test

Test Result of mechanical dishwashing safe test:

Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS"

Sample No.:MO9225 (red)

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 1 cycles

Number of tested sample: 1 pc(s). Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

-Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Unit Limit		MDL	Test Result(s)	
rest ttem(s)	Unit	Limit	MDL	1-1	1-2
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.
Co			Conformity	Conformity	

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

- Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Toot Itom(s)	Unit Limit	MDL	Test Result(s)		
Test Item(s)	Onit	Lillit	MIDL	1-1	1-2
Lead(Pb)	mg/kg	500	10	N.D.	N.D.
Conclusion			Conformity	Conformity	

Test Item(s)	Unit Limit		MDL	Test Result(s)	
rest item(s)	Unit	Lillit	MIDL	1-3	1-4
Lead(Pb)	mg/kg	500	10	N.D.	N.D.
Conclusion			Conformity	Conformity	

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

- Phthalates Content

Test Methods and Equipment: IEC 62321-8:2017; GC-MS

Toot Itaur(a)	T Init	Limit	MDI	Test Result(s)	
Test Item(s)	Test Item(s) Unit Limit MDL		1-1	1-2	
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.	N.D.
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.	N.D.
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.	N.D.
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.	N.D.
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.	N.D.
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.	N.D.
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.	N.D.
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	N.D.
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.
Conclusion				Conformity	Conformity

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1

Limit requirements of Phthalates

Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	The sum of DINP+DIDP+DNOP is less than 0.1%

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Report No.: AGC05443230813-001



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

Tost Itom(s)	Unit	Limit	MDL	Test Result(s)	
Test Item(s)	Unit	Lillit	MIDL	1-1	1-2
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.	N.D.
Co	Conformity	Conformity			

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1

Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	≤1	≤ 1	≤ 0.5
Benzo[e]pyrene(BeP)	192-97-2	/	≤ 1	≤ 0.5
Benzo[a]anthracene(BaA)	56-55-3	/	≤ 1	≤ 0.5
Benzo[b]fluoranthene(BbF)	205-99-2	/	≤ 1	≤ 0.5
Benzo[j]fluoranthene(BjFA)	205-82-3	/	≤ 1	≤ 0.5
Benzo[k]fluoranthene(BkF)	207-08-9	/	≤ 1	≤ 0.5
Chrysene(CHR)	218-01-9	/	≤ 1	≤ 0.5
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	≤ 1	≤ 0.5
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤ 10	/	/

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Report No.: AGC05443230813-001



Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:

- Overall Migration

		Test	result		
Test point		Overall migra	ation/ (mg/dm ²)	Conclusion	
		3% Acetic acid, 70°C,2h	50% Ethanol, 70°C,2h		
	1 st migration	N.D.	N.D.		
1-5	2 nd migration	N.D.	N.D.	Conformity	
	3 rd migration	N.D.	N.D.		
	1 st migration	N.D.	N.D.		
1-6	2 nd migration	N.D.	N.D.	Conformity	
	3 rd migration	N.D.	N.D.		
I	Limit	10	10	/	
N	MDL	5	5	/	

Test point	Test I		
	Overall migra	Conclusion	
	3% Acetic acid, 70°C,2h	50% Ethanol, 70°C,2h	
1-2	N.D.	N.D.	Conformity
Limit	10	10	/
MDL	5	5	/



Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:

- Bisphenol A(BPA) content

Test Item	Bisphenol A (BPA)					
Limit(mg/kg)	Prohibited					
MDL(mg/kg)	0.1					
Test Method/ Instrument	EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS					

Tost maint	Test Result (mg/kg)	Canalysian	
Test point	Bisphenol A (BPA)	Conclusion	
1-5	N.D.	Conformity	
1-6	N.D.	Conformity	

Test Item	Bisphenol A (BPA)				
Limit(Client's Requirement) (mg/kg)	Prohibited				
MDL(mg/kg)	0.1				
Test Method/Instrument	EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS				

Test point	Test Result (mg/kg)	Conclusion
Test point	Bisphenol A (BPA)	
1-2	N.D.	Conformity



Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:

- Specific migration of Bisphenol A(BPA)

		Test Result	
Te	Test point Specific migration of Bisphenol A(BPA)/ (mg/kg)		Conclusion
		3% Acetic acid, 70°C,2h	
	1 st migration	N.D.	Conformity
1-5	2 nd migration	N.D.	Conformity
	3 rd migration	N.D.	Conformity
	Limit	0.05	/
	MDL	0.02	/


	Test Result	
Test point	Specific migration of Bisphenol A(BPA)/ (mg/kg)	Conclusion
	3% Acetic acid, 70°C,2h	
1-2	N.D.	Conformity
Limit(Client's Requirement)	0.05	/
MDL	0.02	/



Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:

- Specific migration of Primary aromatic amines

Test Item(s)	MDL (mg/kg)	Limit (mg/kg)
4-Aminobiphenyl	0.002	N.D.
Benzidine	0.002	N.D.
4-Chloro-o-Toluidine	0.002	N.D.
2-Naphthylamine	0.002	N.D.
4-amino-2',3-dimethylazobenzene	0.002	N.D.
5-Nitro-o-toluidine	0.002	N.D.
4-Chloroaniline	0.002	N.D.
4-Methoxy-m-phenylenediamine	0.002	N.D.
4,4'-Diaminodiphenylmethane	0.002	N.D.
3,3'-Dichlorobenzidine	0.002	N.D.
3,3'-Dimethoxybenzidine	0.002	N.D.
3,3'-Dimethybenzidine	0.002	N.D.
4,4'-Methylenedi-o-toluidine	0.002	N.D.
6-methoxy-m-toluidine	0.002	N.D.
4,4'-methylenebis[2-chloroaniline]	0.002	N.D.
4,4'-Oxydianiline	0.002	N.D.
4,4'-Thiodianiline	0.002	N.D.
2-Aminotoluene	0.002	N.D.
4-methyl-m-phenylenediamine	0.002	N.D.
2,4,5-Trimethylaniline	0.002	N.D.
2-Methoxyaniline	0.002	N.D.
4-Aminoazobenzene	0.002	N.D.
1,3 phenylenediamine	0.002	N.D.
Total of other primary aromatic amines	0.01	0.01





	Test Result (mg/kg)	
Test Item(s)	1-5	
	3% Acetic acid 70°C, 2h	
4-Aminobiphenyl	N.D.	
Benzidine	N.D.	
4-Chloro-o-Toluidine	N.D.	
2-Naphthylamine	N.D.	
4-amino-2',3-dimethylazobenzene	N.D.	
5-Nitro-o-toluidine	N.D.	
4-Chloroaniline	N.D.	
4-Methoxy-m-phenylenediamine	N.D.	
4,4'-Diaminodiphenylmethane	N.D.	
3,3'-Dichlorobenzidine	N.D.	
3,3'-Dimethoxybenzidine	N.D.	
3,3'-Dimethybenzidine	N.D.	
4,4'-Methylenedi-o-toluidine	N.D.	
6-methoxy-m-toluidine	N.D.	
4,4'-methylenebis[2-chloroaniline]	N.D.	
4,4'-Oxydianiline	N.D.	
4,4'-Thiodianiline	N.D.	
2-Aminotoluene	N.D.	
4-methyl-m-phenylenediamine	N.D.	
2,4,5-Trimethylaniline	N.D.	
2-Methoxyaniline	N.D.	
4-Aminoazobenzene	N.D.	
1,3 phenylenediamine	N.D.	
Total of other primary aromatic amines	N.D.	
Conclusion	Conformity	






	Test Result (mg/kg)	
Test Item(s)	1-6	
	3% Acetic acid 70°C, 2h	
4-Aminobiphenyl	N.D.	
Benzidine	N.D.	
4-Chloro-o-Toluidine	N.D.	
2-Naphthylamine	N.D.	
4-amino-2',3-dimethylazobenzene	N.D.	
5-Nitro-o-toluidine	N.D.	
4-Chloroaniline	N.D.	
4-Methoxy-m-phenylenediamine	N.D.	
4,4'-Diaminodiphenylmethane	N.D.	
3,3'-Dichlorobenzidine	N.D.	
3,3'-Dimethoxybenzidine	N.D.	
3,3'-Dimethybenzidine	N.D.	
4,4'-Methylenedi-o-toluidine	N.D.	
6-methoxy-m-toluidine	N.D.	
4,4'-methylenebis[2-chloroaniline]	N.D.	
4,4'-Oxydianiline	N.D.	
4,4'-Thiodianiline	N.D.	
2-Aminotoluene	N.D.	
4-methyl-m-phenylenediamine	N.D.	
2,4,5-Trimethylaniline	N.D.	
2-Methoxyaniline	N.D.	
4-Aminoazobenzene	N.D.	
1,3 phenylenediamine	N.D.	
Total of other primary aromatic amines	N.D.	
Conclusion	Conformity	_



Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:

- Specific migration of Heavy metals

- Specific migration of He	Test condition/	MDL	Test Result(s) (mg/kg)			Limit (mg/kg)	
Test Item(s)	Equipment	(mg/kg)	1-5				
			1 st 2 nd	2 nd migration	3 rd migration	3 rd migration	
Barium (Ba)		0.1	N.D.	N.D.	N.D.	1	
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05	
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5	
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48	
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6	
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6	
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5	
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1	
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/	
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/	
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/	
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/	
Sum(Eu+Gd+La+Tb)	3% Acetic acid/	/	N.D.	N.D.	N.D.	0.05	
Antimony (Sb)	70°C, 2h/ ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04	
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.	
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.	
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.	
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.	
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.	
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02	
Conclusion		/		Conformity		/	
Ammonium (NH ₄ ⁺)		0.10	N.D.	N.D.	N.D.	/	
Calcium (Ca)		0.01	0.207	0.094	0.083	/	
Magnesium (Mg)		0.01	0.014	N.D.	N.D.	/	
Potassium (K)		0.01	0.012	N.D.	N.D.	/	
Sodium (Na)		0.01	0.028	N.D.	N.D.	/	





		1401	Test Result(s) (mg/kg) MDL 1-6			Limit (mg/kg)
Test Item(s)	Test condition/ Equipment	MDL (mg/kg)				
	Equipment	(g,g)	1 st	2 nd	3rd	(g,g)
Barium (Ba)		0.1	migration N.D.	migration N.D.	migration N.D.	1
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/ 70°C, 2h/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/		Conformity		/
Ammonium (NH ₄ ⁺)		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	0.315	0.163	0.081	/
Magnesium (Mg)		0.01	0.031	0.014	N.D.	/
Potassium (K)		0.01	0.045	0.022	N.D.	/
Sodium (Na)		0.01	0.110	0.053	N.D.	/



- Volatile Organic Matter

Unit: %

Report No.: AGC05443230813-001

Tost itam(s)	Test Condition MDI		Test item(s) Test Condition		Result(s)	Limit
Test item(s)	Test Condition	MDL 1-2		Lillit		
Volatile Organic Matter		0.1	0.19	0.5		
Conclusion	200°C, 4h	/	Conformity	/		

DM-4B-COM-003-v01 for:

- Peroxide value


Unit: %

Test Item	MDL	Result(s) 1-2	Limit
Peroxide value	0.2	N.D.	Absent
Conclusion	/	Conformity	/

DM-4B-COM-003-v01 for:


- Specific Migration of Organotin (measured as Tin)

	Test Result	
Test point	Specific Migration of Organotin (measured as Tin)/ (mg/kg)	Conclusion
	3% Acetic acid, 70°C,2h	
1-2	N.D.	Conformity
Limit	0.1	/
MDL	0.01	/







Test Flow Chart of Heavy Metal Content




Test Flow Chart of Phthalates







Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)





Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***