

# **Test Report**

Report No. : AGC05443240416-001

- SAMPLE NAME : Double wall bottle
- MODEL NAME : MO9539
- APPLICANT : MID OCEAN BRANDS B.V
- **STANDARD(S)** : Please refer to the following page(s).
- DATE OF ISSUE : May 14, 2024

Attestation of Global Complaince (Shenzhen) Std & Tech Co., Ltd.







#### : MID OCEAN BRANDS B.V

: 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.

: 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China

#### Report on the submitted sample(s) said to be:

Sample Name	:	Double wall bottle
Model	:	MO9539
Vendor code	:	114276
Country of Origin	:	CHINA
Country of Destination	:	EUROPE
Sample receiving state	:	Normal
Sample Received Date	:	Apr. 12, 2024
Testing Period	:	Apr. 12, 2024 to May 14, 2024
Test Requested	:	Selected test(s) as requested by client.

Approved by:

Suhongliang, Leon

Technical Director

Test Requested:	Report No.: AGC05443240416-001 Conclusion
Mechanical dishwashing safe test	Pass
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63 - Lead(Pb) Content	Pass
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23 -Cadmium(Cd) Content	Pass
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52 - Phthalates Content	Pass
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50 - Polycyclic-aromatic Hydrocarbons (PAHs) Content	Pass
Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(200	
- Overall migration	Pass
- Specific migration of Bisphenol A(BPA)	Pass
- Bisphenol A(BPA) content	Pass
- Specific migration of Primary aromatic amines	Pass
- Specific migration of Heavy metals	Pass
DM-4B-COM-003-v01 for:	
- Volatile Organic Matter	Pass
- Peroxide value	Pass
- Specific Migration of Organotin (measured as Tin)	Pass
Regulation (EC) No 1935/2004, LFGB section 30 and Technical Guide on Metals an	id alloys used
<ul><li>in food contact materials of Council of Europe Resolution CM/Res (2013)9.</li><li>- Specific migration of heavy metal from metal and alloys used in contact with food</li></ul>	Pass

R



#### Report No.: AGC05443240416-001

Report Revise Record							
Report Version	Issued Date	Valid Version	Notes				
/	May 14, 2024	Valid	Initial release				




**Test sample** 

#### Report No.: AGC05443240416-001

# The photo of the sample





#### The photo of AGC05443240416-001 is for use only with the original report.

Test point	Test point description
1-1	Black coating
1-2+1-3	Grey plastic bottle ring+Gray plastic inner cover
1-4+1-5	Grey rubber bottle rope+Transparent silicone ring
1-6+1-7	Metal inner bottle lid+Metal inner bottle body
1-8+1-9	Metal outer bottle lid+Metal outer bottle body
1-10	Metal nails
1-11	Gray plastic inner cover
1-12	Transparent silicone ring
1-13	Metal inner bottle body

#### **Test Point Description**



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001%

#### Mechanical dishwashing safe test

Test Result of mechanical dishwashing safe test:
Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and
function, it should be "PASS"
Sample No.:MO9539
Test method: Refer BS EN 12875 -1-2005
Washing temperature: 60°C
Number of cycle: 10 cycles
Number of tested sample: $2 \text{ pc}(s)$ .
Number of control sample: $1 \text{ pc}(s)$ .
For all tested plastic or metal articles:
No visible change of color, gloss and clouding was found on the tested samples after wash.
No visible deposit or iridescent layer was found on the tested samples after wash.
No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.

#### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

## - Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Unit Limit	Limit	MDL	Test Result(s)		
		LIIIII		1-1	1-2+1-3	1-4+1-5
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.
Con	Conformity	Conformity	Conformity			

Test Item(s)	Unit L	Limit	MDL	1	Test Result(s)		
		Limit	MDL	1-6+1-7	1-8+1-9	1-10	
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.	
Con	Conformity	Conformity	Conformity				

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-2+1-3,1-4+1-5,1-6+1-7,1-8+1-9 Remark:The samples of the following test points were resubmitted on May 06, 2024:1-4+1-5

#### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

#### -Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Unit	Limit	MDL	Test Result(s)		
		Limit		1-1	1-2+1-3	1-4+1-5
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.	N.D.
Con	Conformity	Conformity	Conformity			

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-2+1-3,1-4+1-5

Remark: The samples of the following test points were resubmitted on May 06, 2024:1-4+1-5



#### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

## - Phthalates Content

Test Methods and Equipment: IEC 62321-8:2017; GC-MS

Test Item(s)	Unit	Limit	Limit MDL -	Test Result(s)			
Test ttem(s)	Unit	Limit		1-1	1-2+1-3	1-4+1-5	
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.	N.D.	N.D.	
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.	N.D.	N.D.	
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.	N.D.	N.D.	
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.	N.D.	N.D.	
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.	N.D.	N.D.	
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.	N.D.	N.D.	
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.	N.D.	N.D.	
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	N.D.	N.D.	
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.	N.D.	
Con	Conformity	Conformity	Conformity				

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-2+1-3,1-4+1-5 Remark:The samples of the following test points were resubmitted on May 06, 2024:1-4+1-5

Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	The sum of DINP+DIDP+DNOP is less than 0.1%



#### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

#### - Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s)			
Test Item(s)	Unit			1-1	1-2+1-3	1-4+1-5	
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Chrysene(CHR)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Con	Conformity	Conformity	Conformity				

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-2+1-3,1-4+1-5 Remark:The samples of the following test points were resubmitted on May 06, 2024:1-4+1-5

#### Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	≤1	≤ 1	≤ 0.5
Benzo[e]pyrene(BeP)	192-97-2	/	≤ 1	≤ 0.5
Benzo[a]anthracene(BaA)	56-55-3	/	≤ 1	≤ 0.5
Benzo[b]fluoranthene(BbF)	205-99-2	/	≤ 1	≤ 0.5
Benzo[j]fluoranthene(BjFA)	205-82-3	/	≤ 1	≤ 0.5
Benzo[k]fluoranthene(BkF)	207-08-9	/	≤ 1	≤ 0.5
Chrysene(CHR)	218-01-9	/	≤ 1	≤ 0.5
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	$\leq 1$	≤ 0.5
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤10	/	/



## <u>Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and</u> <u>Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:</u>

#### - Overall Migration

	Test result				
Tes	est point Overall migration/ (mg/dm <sup>2</sup> )		Conclusion		
	-	3% Acetic acid, 70°C,2h	50% Ethanol, 70°C,2h		
	1 <sup>st</sup> migration	N.D.	N.D.		
1-11	2 <sup>nd</sup> migration	N.D.	N.D.	Conformity	
	3 <sup>rd</sup> migration	N.D.	N.D.		
I	Limit	10	10	/	
ľ	MDL	5	5	/	

	Test l			
Test point	Overall migra	Conclusion		
	3% Acetic acid,         50%           70°C,2h         7			
1-12	N.D.	N.D.	Conformity	
Limit	10	10	/	
MDL	5	5	/	

Remark: The results of the following test points was submitted on May 06, 2024: 1-12



. 1.

1.4 (DDA)

. . .

## <u>Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and</u> <u>Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:</u>

- Specific migration of Bisphenol A(BPA)

	Test Result	
Test point	Specific migration of Bisphenol A(BPA)/ (mg/kg)	Conclusion
	3% Acetic acid, 70°C,2h	
1-12	N.D.	Conformity
Limit	0.05	/
MDL	0.02	/

Remark: The results of the following test points was submitted on May 06, 2024: 1-12

## <u>Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and</u> <u>Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:</u>

-Bisphenol A(BPA) content					
Test Item	Bisphenol A (BPA)				
Limit (mg/kg)	Prohibited				
MDL(mg/kg)	0.1				
Test Method/ Instrument	EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS				

Test point	Test Result (mg/kg)	Conclusion	
Test point	Bisphenol A (BPA)	Conclusion	
1-11	N.D.	Conformity	
1-12	N.D.	Conformity	

Remark: The results of the following test points was submitted on May 06, 2024: 1-12




## Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and

Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:

- Specific migration of Primary a	<u>aromatic amines</u>
-----------------------------------	------------------------

Test Item(s)	MDL (mg/kg)	Limit (mg/kg)
4-Aminobiphenyl	0.002	N.D.
Benzidine	0.002	N.D.
4-Chloro-o-Toluidine	0.002	N.D.
2-Naphthylamine	0.002	N.D.
4-amino-2',3-dimethylazobenzene	0.002	N.D.
5-Nitro-o-toluidine	0.002	N.D.
4-Chloroaniline	0.002	N.D.
4-Methoxy-m-phenylenediamine	0.002	N.D.
4,4'-Diaminodiphenylmethane	0.002	N.D.
3,3'-Dichlorobenzidine	0.002	N.D.
3,3'-Dimethoxybenzidine	0.002	N.D.
3,3'-Dimethybenzidine	0.002	N.D.
4,4'-Methylenedi-o-toluidine	0.002	N.D.
6-methoxy-m-toluidine	0.002	N.D.
4,4'-methylenebis[2-chloroaniline]	0.002	N.D.
4,4'-Oxydianiline	0.002	N.D.
4,4'-Thiodianiline	0.002	N.D.
2-Aminotoluene	0.002	N.D.
4-methyl-m-phenylenediamine	0.002	N.D.
2,4,5-Trimethylaniline	0.002	N.D.
2-Methoxyaniline	0.002	N.D.
4-Aminoazobenzene	0.002	N.D.
1,3 phenylenediamine	0.002	N.D.
Total of other primary aromatic amines	0.01	0.01



	R
AGC	

	Test Result (mg/kg)					
		1-11				
Test Item(s)	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>			
	migration	migration           3% Acetic acid	migration			
		70°C, 2h				
4-Aminobiphenyl	N.D.	N.D.	N.D.			
Benzidine	N.D.	N.D.	N.D.			
4-Chloro-o-Toluidine	N.D.	N.D.	N.D.			
2-Naphthylamine	N.D.	N.D.	N.D.			
4-amino-2',3-dimethylazobenzene	N.D.	N.D.	N.D.			
5-Nitro-o-toluidine	N.D.	N.D.	N.D.			
4-Chloroaniline	N.D.	N.D.	N.D.			
4-Methoxy-m-phenylenediamine	N.D.	N.D.	N.D.			
4,4'-Diaminodiphenylmethane	N.D.	N.D.	N.D.			
3,3'-Dichlorobenzidine	N.D.	N.D.	N.D.			
3,3'-Dimethoxybenzidine	N.D.	N.D.	N.D.			
3,3'-Dimethybenzidine	N.D.	N.D.	N.D.			
4,4'-Methylenedi-o-toluidine	N.D.	N.D.	N.D.			
6-methoxy-m-toluidine	N.D.	N.D.	N.D.			
4,4'-methylenebis[2-chloroaniline]	N.D.	N.D.	N.D.			
4,4'-Oxydianiline	N.D.	N.D.	N.D.			
4,4'-Thiodianiline	N.D.	N.D.	N.D.			
2-Aminotoluene	N.D.	N.D.	N.D.			
4-methyl-m-phenylenediamine	N.D.	N.D.	N.D.			
2,4,5-Trimethylaniline	N.D.	N.D.	N.D.			
2-Methoxyaniline	N.D.	N.D.	N.D.			
4-Aminoazobenzene	N.D.	N.D.	N.D.			
1,3 phenylenediamine	N.D.	N.D.	N.D.			
Total of other primary aromatic amines	N.D.	N.D.	N.D.			
Conclusion		Conformity				



## Report No.: AGC05443240416-001

## Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and

Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:

#### - Specific migration of Heavy metals

						Limit (mg/kg)
Test Item(s)	Test condition/ Equipment	MDL (mg/kg)				
	-4	(	1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration	- (mg/kg)
Barium (Ba)		0.1	N.D.	N.D.	N.D.	1
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	- 70°C, 2h/ ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/		Conformity		/
Ammonium (NH <sub>4</sub> <sup>+</sup> )		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	0.011	N.D.	N.D.	/
Magnesium (Mg)		0.01	N.D.	N.D.	N.D.	/
Potassium (K)		0.01	N.D.	N.D.	N.D.	/
Sodium (Na)		0.01	N.D.	N.D.	N.D.	/



# DM-4B-COM-003-v01 for:

#### - Volatile Organic Matter

				Unit: %
Test item (a)		MDI	Result(s)	T *4
Test item(s)	Test Condition	MDL 1-12	Limit	
Volatile Organic Matter		0.1	0.33	0.5
Conclusion	200°C, 4h	/	Conformity	/

Remark: The results of the following test points was submitted on May 06, 2024: 1-12

#### DM-4B-COM-003-v01 for:

- Peroxide value

			Unit: %	
To a Line	MDL	Result(s)	I :	
Test Item		1-12	Limit	
Peroxide value	0.2	N.D.	Absent	
Conclusion	/	Conformity	/	

Remark: The results of the following test points was submitted on May 06, 2024: 1-12

#### DM-4B-COM-003-v01 for:

#### - Specific Migration of Organotin (measured as Tin)

	Test Result	
Test point	Specific Migration of Organotin (measured as Tin)/ (mg/kg)	Conclusion
	3% Acetic acid, 70°C,2h	
1-12	N.D.	Conformity
Limit	0.1	/
MDL	0.01	/

Remark: The results of the following test points was submitted on May 06, 2024: 1-12



Regulation (EC) No 1935/2004, LFGB section 30 and Technical Guide on Metals and alloys used

in food contact materials of Council of Europe Resolution CM/Res (2013)9

- Specific migration of heavy metal from metal and alloys used in contact with food

Test Method: With reference to EDQM Technical Guide on Metals and alloys used in food contact materials 2013.


				Unit: mg/k
Test Item(s)	Test condition/	MDL	Test Result(s)         1 <sup>st</sup> + 2 <sup>nd</sup> extractives	Limit
	Equipment		1 + 2 extractives 1-13	
Barium (Ba)		0.1	N.D.	8.4
Copper (Cu)		0.1	N.D.	28
Iron (Fe)		0.1	0.184	280
Tin (Sn)		0.1	N.D.	700
Chromium (Cr)		0.01	0.014	1.75
Manganese (Mn)		0.1	N.D.	12.6
Zinc (Zn)		0.1	N.D.	35
Aluminium (Al)		0.1	N.D.	35
Lithium (Li)		0.01	N.D.	0.336
Beryllium (Be)		0.005	N.D.	0.07
Vanadium (V)		0.005	N.D.	0.07
Nickel (Ni)	0.5% Citric acid,	0.01	N.D.	0.98
Cobalt (Co)	70°C, 2h ICP-OES	0.01	N.D.	0.14
Arsenic (As)		0.002	N.D.	0.014
Molybdenum (Mo)		0.01	N.D.	0.84
Silver (Ag)		0.01	N.D.	0.56
Cadmium (Cd)		0.002	N.D.	0.035
Antimony (Sb)		0.01	N.D.	0.28
Mercury (Hg)		0.002	N.D.	0.021
Thallium (Tl)		0.0001	N.D.	0.0007
Lead (Pb)		0.01	N.D.	0.07
Conclusion		/	Conformity	/
Magnesium (Mg)		0.01	N.D.	/
Titanium (Ti)		0.01	N.D.	/



Report No.: AGC05443240416-001


Test Item(s)	Test condition/ Equipment	MDL	Test Result(s)	Limit
			3 <sup>rd</sup> extractives 1-13	
Barium (Ba)		0.1	N.D.	1.2
Copper (Cu)		0.1	N.D.	4
Iron (Fe)		0.1	N.D.	40
Tin (Sn)		0.1	N.D.	100
Chromium (Cr)		0.01	N.D.	0.25
Manganese (Mn)		0.1	N.D.	1.8
Zinc (Zn)		0.1	N.D.	5
Aluminium (Al)		0.1	N.D.	5
Lithium (Li)		0.01	N.D.	0.048
Beryllium (Be)		0.005	N.D.	0.01
Vanadium (V)		0.005	N.D.	0.01
Nickel (Ni)	0.5% Citric acid,	0.01	N.D.	0.14
Cobalt (Co)	— 70°C, 2h ICP-OES	0.01	N.D.	0.02
Arsenic (As)		0.002	N.D.	0.002
Molybdenum (Mo)		0.01	N.D.	0.12
Silver (Ag)		0.01	N.D.	0.08
Cadmium (Cd)		0.002	N.D.	0.005
Antimony (Sb)		0.01	N.D.	0.04
Mercury (Hg)		0.002	N.D.	0.003
Thallium (Tl)		0.0001	N.D.	0.0001
Lead (Pb)		0.01	N.D.	0.01
Conclusion		/	Conformity	/
Magnesium (Mg)		0.01	N.D.	/
Titanium (Ti)		0.01	N.D.	/






#### **Test Flow Chart of Heavy Metal Content**

#### **Test Flow Chart of Phthalates**







## Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)



# Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").

2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.

3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.

4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.

5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.

6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.

8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

\*\*\* End of Report \*\*\*