

Test Report

Report No. : AGC05443230722-001S1

- **SAMPLE NAME** : Tritan bottle with bamboo top
- MODEL NAME : MO9850
- APPLICANT : MID OCEAN BRANDS B.V
- **STANDARD(S)** : Please refer to the following page(s).
- **DATE OF ISSUE** : Aug. 23, 2023







AGC [®]		Devent No A CC05 442220722 00151
		Report No.: AGC05443230722-001S1
Applicant	:	MID OCEAN BRANDS B.V
Address	:	7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.
Test Site	:	6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,
		Bao'an District, Shenzhen, Guangdong, China
		3F., Building D, Sanwei Qinyu Technical Park, Nanchang Community, Bao'an

Avenue, Xixiang, Baoan District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name	:	Tritan bottle with bamboo top
Model	:	MO9850
Vendor code	:	115253
Country of Origin	:	CHINA
Country of Destination	:	EUROPE
Sample receiving state	:	Normal
Sample Received Date	:	Jul. 28, 2023
Testing Period	:	Jul. 28, 2023 to Aug. 23, 2023
Test Requested	:	Selected test(s) as requested by client.

Approved by: humanshia

Approved by : Jossie Ling

Huangguohua

Vice Laboratory Manager

Liangdan, Jessie.Liang

Technical Director

Test Requested:	Report No.: AGC05443230722-001S1 Conclusion
Mechanical dishwashing safe test	Pass
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63 - Lead(Pb) Content	Pass
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23 -Cadmium(Cd) Content	Pass
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50 - Polycyclic-aromatic Hydrocarbons (PAHs) Content	Pass
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52 - Phthalates Content	Pass
- Formaldehyde Release	Pass
Regulation (EU) 2019/1021 on persistent organic pollutants (POPs) - Pentachlorophenol (PCP) Content	Pass
Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regula 2020/1245 and Regulation (EU) 2018/213 and Council of Europe Resolution AP(2	
- Overall Migration	Pass
- Bisphenol A(BPA) content	Pass
- Specific migration of Bisphenol A(BPA)	Pass
- Specific migration of Primary aromatic amines	Pass
- Specific migration of Heavy metals	Pass
DM-4B-COM-003-v01 for:	
- Volatile Organic Matter	Pass
- Peroxide value	Pass
- Specific Migration of Organotin (measured as Tin)	Pass
Regulation 1935/2004/EC and Technical Guide on Metals and alloys used in food	
of Council of Europe Resolution CM/Res(2013)9 - Specific migration of Heavy metal	Pass

- Specific migration of Heavy metal

R



Report Revise Record								
Report Version	Issued Date	Valid Version	Notes					
/	Aug. 07, 2023	Invalid	Initial release					
S1	Aug. 23, 2023	Valid	Replace Test Data					



The photo of the sample



The photo of AGC05443230722-001S1 is for use only with the original report.

Test point	Test point description
1-1	Transparent plastic bottle body
1-2	Transparent silicone rubber ring
1-3	Wooden cover
1-4	Metal lid
1-5	Metal cup bottom
1-6	Metal handle

Test Point Description



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001%

Mechanical dishwashing sa	<u>ife test</u>	
Test Result of		
mechanical dishwashing		
safe test:		
Requirements: For dishwas	her safe test, if there is no noticeable change in appearance (e.g. color, size and si	hape) and
function, it should be "PAS	S"	
Sample No.:		
Test method: Refer BS EN	12875 -1-2005/ BS EN 12875 -2-2002 /BS EN 12875 -4-2006/ BS EN 12875 -5-	-2006
Washing temperature: 60°C		
Number of cycle: 10 cycle	żs	
Number of tested sample:	1 $pc(s)$.	
Number of control sample:	1 $pc(s)$.	
For all tested plastic or met	al articles:	
No visible change of color,	gloss and clouding was found on the tested samples after wash.	
No visible deposit or irides	cent layer was found on the tested samples after wash.	
No visible swelling, deform	nation, cracking, crazing or delamination was found on the tested samples after w	ash.

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

- Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	I Luit	T insit	MDI	Test Result(s)			
Test Item(s)	Unit	Lımıt	MDL	1-1	1-2	1-3	
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.	
Cor	Conformity	Conformity	Conformity				

Test Item(s)	Unit	Unit Limit	Limit MDL -		Test Result(s)		
	Unit		MDL	1-4	1-5	1-6	
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.	
Con	Conformity	Conformity	Conformity				

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

-Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Unit Limit	MDL	Test Result(s)		
		Limit	MDL	1-1	1-2
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.
Со	Conformity	Conformity			



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s)		
Test Item(s)	Unit	Liiiit	MDL	1-1	1-2	
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.	N.D.	
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.	N.D.	
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.	N.D.	
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.	N.D.	
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.	N.D.	
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.	N.D.	
Chrysene(CHR)	mg/kg	1	0.1	N.D.	N.D.	
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.	N.D.	
Со	nclusion			Conformity	Conformity	

Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	≤1	≤ 1	≤ 0.5
Benzo[e]pyrene(BeP)	192-97-2	/	<i>≤</i> 1	≤ 0.5
Benzo[a]anthracene(BaA)	56-55-3	/	≤ 1	≤ 0.5
Benzo[b]fluoranthene(BbF)	205-99-2	/	≤ 1	≤ 0.5
Benzo[j]fluoranthene(BjFA)	205-82-3	/	≤ 1	≤ 0.5
Benzo[k]fluoranthene(BkF)	207-08-9	/	≤ 1	≤ 0.5
Chrysene(CHR)	218-01-9	/	≤ 1	≤ 0.5
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	≤ 1	≤ 0.5
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤ 10	/	/



Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

- Phthalates Content

Test Methods and Equipment: IEC 62321-8:2017; GC-MS

Test Item(a)	Unit	Limit	MDL	Test Res	ult(s)
Test Item(s)	Unit	Liiiit	MDL	1-1	1-2
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.	N.D.
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.	N.D.
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.	N.D.
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.	N.D.
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.	N.D.
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.	N.D.
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.	N.D.
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	N.D.
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.
Con	nclusion			Conformity	Conformity

Limit requirements of Phthalates

Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	The sum of DINP+DIDP+DNOP is less than 0.1%

- Formaldehyde Release

Test Methods and Equipment: EN 717-3:1996; UV-Vis

Test Item(s)	Unit	Client's	MDL	Test Result(s)
Test ttem(s)	Unit	limit		1-3
Formaldehyde Release	mg/kg	80	1	4
Conclusion				Conformity



MDL

Conclusion

Conformity

/

/

Regulation (EU) 2019/1021 on persistent organic pollutants (POPs)

- Pentachlorophenol (PCP) Content

Test Methods and Equipment: EPA 3550C:2007 & EPA 8270E:2018; GC-MS

Test Item(s)	Unit Limit	MDI	Test Result(s)	
		Linnt	MDL	1-3
Pentachlorophenol (PCP)	mg/kg	5	5	N.D.
Со	Conformity			

<u>Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and</u> <u>Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:</u>

- Overal	<u>l Migration</u>				
		Test	result		
		Overall migrat	tion/ (mg/dm ²)		
		3% Acetic acid, 50% Ethanol, 70°C,2h 70°C,2h			
	1 st migration	N.D.	N.D.		
1-1	2 nd migration	N.D.	N.D.		
	3 rd migration	N.D.	N.D.		
I	Limit	10	10		

5

	Test I	Result	
Test point Overall migration/		tion/ (mg/dm ²)	Conclusion
	3% Acetic acid, 70°C,2h	50% Ethanol, 70°C,2h	
1-2	N.D.	N.D.	Conformity
Limit	10	10	/
MDL	5	5	/

5



Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and

Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:

- Bisphenol A(BPA) content

	F The second sec	
Test Item	Bisphenol A (BPA)	
Limit(mg/kg)	Prohibited	
MDL(mg/kg)	0.1	
Test Method/ Instrument	EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS	

Test point	Test Result (mg/kg)	Conclusion
Test point	Bisphenol A (BPA)	Conclusion
1-1	N.D.	Conformity

Test Item	Bisphenol A (BPA)	
Limit(Client's Requirement) (mg/kg)	Prohibited	
MDL(mg/kg)	0.1	
Test Method/ Instrument	EPA 3540C:1996& EPA 8321B:2007/ LC-MS-MS	

Test point	Test Result (mg/kg)	Conclusion
Test point	Bisphenol A (BPA)	Conclusion
1-2	N.D.	Conformity

<u>Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and</u> <u>Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:</u> - Specific migration of Bisphenol A(BPA)

Test point		Test Result	
		Specific migration of Bisphenol A(BPA)/ (mg/kg)	Conclusion
		3% Acetic acid, 70°C,2h	
	1 st migration	N.D.	Conformity
1-1	2 nd migration	N.D.	Conformity
	3 rd migration	N.D.	Conformity
L	imit	0.05	/
Ν	IDL	0.02	/



	Test Result	
Test point	Specific migration of Bisphenol A(BPA)/ (mg/kg)	Conclusion
	3% Acetic acid, 70°C,2h	
1-2	N.D.	Conformity
Limit(Client's Requirement)	0.05	/
MDL	0.02	/

<u>Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245:</u> - Specific migration of Primary aromatic amines

Test Item(s)	MDL (mg/kg)	Limit (mg/kg)
4-Aminobiphenyl	0.002	N.D.
Benzidine	0.002	N.D.
4-Chloro-o-Toluidine	0.002	N.D.
2-Naphthylamine	0.002	N.D.
4-amino-2',3-dimethylazobenzene	0.002	N.D.
5-Nitro-o-toluidine	0.002	N.D.
4-Chloroaniline	0.002	N.D.
4-Methoxy-m-phenylenediamine	0.002	N.D.
4,4'-Diaminodiphenylmethane	0.002	N.D.
3,3'-Dichlorobenzidine	0.002	N.D.
3,3'-Dimethoxybenzidine	0.002	N.D.
3,3'-Dimethybenzidine	0.002	N.D.
4,4'-Methylenedi-o-toluidine	0.002	N.D.
6-methoxy-m-toluidine	0.002	N.D.
4,4'-methylenebis[2-chloroaniline]	0.002	N.D.
4,4'-Oxydianiline	0.002	N.D.
4,4'-Thiodianiline	0.002	N.D.
2-Aminotoluene	0.002	N.D.
4-methyl-m-phenylenediamine	0.002	N.D.
2,4,5-Trimethylaniline	0.002	N.D.
2-Methoxyaniline	0.002	N.D.



		0 AUC03443230722-00131
4-Aminoazobenzene	0.002	N.D.
1,3 phenylenediamine	0.002	N.D.
Total of other primary aromatic amines	0.01	0.01

	Test Result (mg/kg)			
Test Item(s)	1-1			
	3% Acetic acid 70°C, 2h			
4-Aminobiphenyl	N.D.			
Benzidine	N.D.			
4-Chloro-o-Toluidine	N.D.			
2-Naphthylamine	N.D.			
4-amino-2',3-dimethylazobenzene	N.D.			
5-Nitro-o-toluidine	N.D.			
4-Chloroaniline	N.D.			
4-Methoxy-m-phenylenediamine	N.D.			
4,4'-Diaminodiphenylmethane	N.D.			
3,3'-Dichlorobenzidine	N.D.			
3,3'-Dimethoxybenzidine	N.D.			
3,3'-Dimethybenzidine	N.D.			
4,4'-Methylenedi-o-toluidine	N.D.			
6-methoxy-m-toluidine	N.D.			
4,4'-methylenebis[2-chloroaniline]	N.D.			
4,4'-Oxydianiline	N.D.			
4,4'-Thiodianiline	N.D.			
2-Aminotoluene	N.D.			
4-methyl-m-phenylenediamine	N.D.			
2,4,5-Trimethylaniline	N.D.			
2-Methoxyaniline	N.D.			
4-Aminoazobenzene	N.D.			
1,3 phenylenediamine	N.D.			
Total of other primary aromatic amines	N.D.			
Conclusion	Conformity			



Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment Regulation (EU) 2020/1245 and

Regulation (EU) 2018/213 and Council of Europe Resolution AP(2004)5:

- Specific migration of Heavy metals

Test Item(s)	Test condition/ Equipment	MDL (mg/kg)	Test Result(s) (mg/kg)			Limit (mg/kg)
			1-1			
	Equipment	(1115/115)	1 st migration	2 nd migration	3 rd migration	(ing/kg)
Barium (Ba)		0.1	N.D.	N.D.	N.D.	1
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	- 70°C, 2h/ ICP-OES	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/		Conformity		/
Ammonium (NH ₄ ⁺)		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	9.189	1.823	0.425	/
Magnesium (Mg)		0.01	0.148	0.039	N.D.	/
Potassium (K)		0.01	0.168	0.011	N.D.	/
Sodium (Na)		0.01	0.341	0.016	N.D.	/



DM-4B-COM-003-v01 for:

- Volatile Organic Matter

Unit:	%
-------	---

Test item(s)	Test Condition	MDL	Result(s)	Limit
Volatile Organic Matter	200°C, 4h	0.1	N.D.	0.5
Conclusion		/	Conformity	/

DM-4B-COM-003-v01 for:

- Peroxide value

Unit: %

Test Item	MDL	Result(s) 1-2	Limit
Peroxide value	0.2	N.D.	Absent
Conclusion	/	Conformity	/

DM-4B-COM-003-v01 for:

- Specific Migration of Organotin (measured as Tin)

	Test Result	
Test point	Specific Migration of Organotin (measured as Tin)/ (mg/kg)	Conclusion
	3% Acetic acid, 70°C,2h	
1-2	N.D.	Conformity
Limit	0.1	/
MDL	0.01	/




Test Method: With reference to EDQM Technical Guide on Metals and alloys used in food contact materials 2013.

				Unit: mg/k	
Test Item(s)	Test condition/		Test Result(s)	Limit	
	Equipment	MDL	1 st + 2 nd extractives		
			1-4		
Barium (Ba)		0.1	N.D.	8.4	
Copper (Cu)		0.1	N.D.	28	
Iron (Fe)		0.1	N.D.	280	
Tin (Sn)		0.1	N.D.	700	
Chromium (Cr)		0.01	N.D.	1.75	
Manganese (Mn)		0.1	N.D.	12.6	
Zinc (Zn)		0.1	N.D.	35	
Aluminium (Al)		0.1	N.D.	35	
Lithium (Li)		0.01	N.D.	0.336	
Beryllium (Be)		0.005	N.D.	0.07	
Vanadium (V)	Artificial tap water, 70°C, 2h	0.005	N.D.	0.07	
Nickel (Ni)	ICP-OES	0.01	N.D.	0.98	
Cobalt (Co)		0.01	N.D.	0.14	
Arsenic (As)		0.002	N.D.	0.014	
Molybdenum (Mo)		0.01	N.D.	0.84	
Silver (Ag)		0.01	N.D.	0.56	
Cadmium (Cd)		0.002	N.D.	0.035	
Antimony (Sb)		0.01	N.D.	0.28	
Mercury (Hg)		0.002	N.D.	0.021	
Thallium (Tl)		0.0001	N.D.	0.0007	
Lead (Pb)		0.01	N.D.	0.07	
Conclusion		/	Conformity	/	




Test Item(s)		MDL	Test Result(s)	
	Test condition/ Equipment		3 rd extractives	Limit
			1-4	
Barium (Ba)		0.1	N.D.	1.2
Copper (Cu)		0.1	N.D.	4
Iron (Fe)		0.1	N.D.	40
Tin (Sn)		0.1	N.D.	100
Chromium (Cr)		0.01	N.D.	0.25
Manganese (Mn)		0.1	N.D.	1.8
Zinc (Zn)		0.1	N.D.	5
Aluminium (Al)		0.1	N.D.	5
Lithium (Li)		0.01	N.D.	0.048
Beryllium (Be)		0.005	N.D.	0.01
Vanadium (V)	Artificial tap water,	0.005	N.D.	0.01
Nickel (Ni)	70°C, 2h ICP-OES	0.01	N.D.	0.14
Cobalt (Co)		0.01	N.D.	0.02
Arsenic (As)		0.002	N.D.	0.002
Molybdenum (Mo)		0.01	N.D.	0.12
Silver (Ag)		0.01	N.D.	0.08
Cadmium (Cd)		0.002	N.D.	0.005
Antimony (Sb)		0.01	N.D.	0.04
Mercury (Hg)		0.002	N.D.	0.003
Thallium (Tl)		0.0001	N.D.	0.0001
Lead (Pb)		0.01	N.D.	0.01
Conclusion		/	Conformity	/






Test Flow Chart of Heavy Metal Content

Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)








Test Flow Chart of Phthalates






Test Flow Chart of Formaldehyde Release



Test Flow Chart of Pentachlorophenol (PCP)





Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").

2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.

3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.

4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.

5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.

6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.

8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***